

**EXHIBIT "C1"**  
**ARVIN-EDISON WATER STORAGE DISTRICT**  
**WATER SUPPLY WATER QUALITY SUMMARY**

	Date	Flow cfs	Import Source	Calcium		Magnesium		Sodium		Bicarbonate		Chloride		Nitrate		TDS mg/l	pH	EC umhos/cm	Hardness mg/l	SAR	Gypsum lbs/AF	Boron mg/l	Turbidity NTU
				mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l								
<i>Intake Canal</i>	08/09/21	35	CVC(56%)/KD WELLS(44%)	28.0	1.40	4.0	0.33	21.0	0.91	110	1.80	14.0	0.39	6.80	0.11	150	8.3	274	88	1.0	0.03	0.11	1.6
	07/08/21	35	CVC(56%)/KD WELLS(44%)	27.0	1.35	2.8	0.23	27.0	1.16	110	1.80	18.0	0.51	5.10	0.08	150	8.3	298	80	1.3	0.97	0.12	2.6
	06/04/21	110	FKC(68%)/CVC(18%)/KD WELLS(14%)	22.0	1.10	2.3	0.19	24.0	1.03	80	1.31	16.0	0.45	4.20	0.07	130	8.6	244	66	1.3	0.62	0.11	2.8
	05/07/21	35	KD WELLS & KD MAIN(100%)	27.0	1.35	4.2	0.34	25.0	1.08	96	1.57	12.0	0.34	3.80	0.06	150	8.7	274	84	1.2	0.42	0.15	4.0
	04/07/21	27	KD WELLS & KD MAIN(100%)	24.0	1.20	3.3	0.27	24.0	1.03	91	1.49	12.0	0.34	2.20	0.04	130	8.6	243	73	1.2	0.76	0.18	5.0
	03/12/21	0	RESIDUAL CVC(100%)	22.0	1.10	1.5	0.12	32.0	1.38	78	1.28	21.0	0.59	0.99	0.02	140	8.7	263	62	1.8	1.10	0.17	9.4
	02/11/21	22	CVC(100%)	24.0	1.20	1.3	0.11	9.1	0.39	74	1.21	4.7	0.13	2.10	0.03	87	8.6	162	64	0.5	0.33	0.04	16.8
	01/11/21	0	RESIDUAL FKC(100%)	13.0	0.65	0.7	0.06	5.6	0.24	52	0.85	3.3	0.09	0.46	0.01	52	8.3	101	36	0.4	0.53	0.02	9.2
	12/10/20	0	RESIDUAL FKC(100%)	10.0	0.50	0.6	0.05	4.1	0.18	37	0.61	2.8	0.08	0.94	0.02	40	7.5	85	28	0.3	0.21	0.02	4.5
	11/05/20	15	RESIDUAL CVC(100%)	27.0	1.35	1.7	0.14	29.0	1.25	89	1.46	21.0	0.59	1.80	0.03	150	8.7	258	75	1.5	0.63	0.12	2.4
	10/09/20	50	CVC(100%)	23.0	1.15	1.2	0.10	31.0	1.34	81	1.33	26.0	0.73	4.80	0.08	150	8.4	286	63	1.7	0.79	0.12	1.5
	09/10/20	200	FKC(100%)	6.1	0.31	0.7	0.05	6.9	0.30	30	0.49	3.2	0.09	1.40	0.02	38	7.2	64	18	0.7	0.55	0.02	3.0
	08/11/20	230	FKC(74%)/CVC(9%)/Kern River(17%)	19.0	0.95	2.2	0.18	19.0	0.82	68	1.11	9.1	0.26	2.30	0.04	98	7.7	176	55	1.1	0.02	0.05	2.9
07/09/20	200	FKC(100%)	12.0	0.60	1.2	0.10	12.0	0.52	42	0.69	8.6	0.24	3.00	0.05	67	7.4	130	36	0.9	ND	0.04	1.9	
<b>Average</b>			<b>20.3</b>	<b>1.0</b>	<b>2.0</b>	<b>0.2</b>	<b>19.3</b>	<b>0.8</b>	<b>74.1</b>	<b>1.2</b>	<b>12.3</b>	<b>0.3</b>	<b>2.8</b>	<b>0.0</b>	<b>109.4</b>	<b>8.2</b>	<b>204.2</b>	<b>59.1</b>	<b>1.1</b>	<b>0.5</b>	<b>0.1</b>	<b>4.8</b>	
<i>North Canal</i>	08/09/21	14	CVC(10%)/KD WELLS(8%)/WELLS(82%)	24.0	1.20	4.4	0.36	34.0	1.47	130	2.13	15.0	0.42	12.00	0.19	170	8.2	314	77	1.7	2.40	0.12	2.9
	07/08/21	58	CVC(10%)/KD WELLS(8%)/WELLS(82%)	19.0	0.95	3.8	0.31	43.0	1.85	130	2.13	19.0	0.53	8.20	0.13	180	8.3	335	63	2.4	3.40	0.26	1.9
	06/04/21	148	FKC(27%)/CVC(7%)/KD WELLS(6%)/WELLS(60%)	21.0	1.05	4.1	0.34	52.0	2.24	130	2.13	25.0	0.70	10.00	0.16	210	8.4	378	68	2.8	3.50	0.41	4.4
	05/07/21	58	KD WELLS & KD MAIN(18%)/WELLS(82%)	22.0	1.10	4.5	0.37	35.0	1.51	120	1.97	16.0	0.45	7.60	0.12	160	8.2	297	73	1.8	2.00	0.14	1.2
	04/07/21	80	KD WELLS & KD MAIN(14%)/WELLS(86%)	20.0	1.00	4.3	0.35	34.0	1.47	110	1.80	17.0	0.48	5.50	0.09	150	8.3	274	68	1.8	1.90	0.16	2.4
	03/12/21	58	WELLS(100%)	22.0	1.10	3.9	0.32	40.0	1.72	120	1.97	17.0	0.48	7.00	0.11	170	8.2	303	70	2.1	2.20	0.19	1.2
	02/11/21	14	CVC(21%)/WELLS(79%)	23.0	1.15	4.5	0.37	27.0	1.16	110	1.80	16.0	0.45	6.90	0.11	140	8.2	261	75	1.3	0.97	0.07	1.3
	01/11/21	14	WELLS(100%)	21.0	1.05	3.9	0.32	36.0	1.55	120	1.97	19.0	0.53	5.60	0.09	160	8.1	302	68	1.9	2.60	0.21	2.4
	12/10/20	0	WELLS(100%)	23.0	1.15	3.4	0.28	60.0	2.59	130	2.13	25.0	0.70	3.80	0.06	220	8.1	423	72	3.1	3.10	0.57	4.2
	11/05/20	48	WELLS(100%)	23.0	1.15	4.1	0.34	50.0	2.16	120	1.97	21.0	0.59	6.20	0.10	200	8.3	343	74	2.4	2.90	0.35	2.0
	10/09/20	48	CVC(29%)/WELLS(71%)	19.0	0.95	3.9	0.32	42.0	1.81	120	1.97	21.0	0.59	6.20	0.10	180	8.2	336	63	2.3	3.30	0.34	1.3
	09/10/20	134	FKC(71%)/WELLS(29%)	18.0	0.90	2.6	0.21	29.0	1.25	73	1.20	12.0	0.34	5.00	0.08	120	7.9	225	56	1.6	0.29	0.20	2.5
	08/11/20	196	FKC(51%)/CVC(6%)/Kern River(12%)/WELLS(31%)	35.0	1.75	7.6	0.62	42.0	1.81	110	1.80	22.0	0.62	15.00	0.24	220	8.0	378	120	1.7	ND	0.22	4.3
07/09/20	164	FKC(66%)/WELLS(34%)	21.0	1.05	3.2	0.26	31.0	1.34	88	1.44	18.0	0.51	6.70	0.11	150	7.8	279	65	1.6	0.60	0.19	2.1	
<b>Average</b>			<b>22.2</b>	<b>1.1</b>	<b>4.2</b>	<b>0.3</b>	<b>39.6</b>	<b>1.7</b>	<b>115.1</b>	<b>1.9</b>	<b>18.8</b>	<b>0.5</b>	<b>7.6</b>	<b>0.1</b>	<b>173.6</b>	<b>8.1</b>	<b>317.7</b>	<b>72.3</b>	<b>2.0</b>	<b>2.2</b>	<b>0.2</b>	<b>2.4</b>	
<i>South Canal</i>	08/09/21	0	CVC(7%)/KD WELLS(5%)/WELLS(88%)	40.0	2.00	12.0	0.98	45.0	1.94	160	2.62	61.0	1.71	12.00	0.19	280	8.2	525	150	1.6	ND	0.14	1.6
	07/08/21	90	CVC(7%)/KD WELLS(6%)/WELLS(87%)	31.0	1.55	8.7	0.71	41.0	1.77	140	2.30	37.0	1.04	11.00	0.18	230	8.2	440	110	1.7	0.27	0.16	1.5
	06/04/21	160	FKC(21%)/CVC(5%)/KD WELLS(4%)/WELLS(70%)	27.0	1.35	7.4	0.61	46.0	1.98	140	2.30	35.0	0.98	10.00	0.16	220	8.2	4	98	2.0	1.40	0.25	4.9
	05/07/21	120	KD WELLS & KD MAIN(12%)/WELLS(88%)	34.0	1.70	9.7	0.80	40.0	1.72	140	2.30	37.0	1.04	9.70	0.16	230	8.1	420	120	1.6	ND	0.12	1.0
	04/07/21	140	KD WELLS & KD MAIN(9%)/WELLS(91%)	32.0	1.60	9.0	0.74	39.0	1.68	140	2.30	32.0	0.90	9.00	0.15	210	8.2	381	120	1.6	ND	0.15	1.6
	03/12/21	50	WELLS(100%)	33.0	1.65	8.5	0.70	40.0	1.72	140	2.30	35.0	0.98	11.00	0.18	220	8.2	403	120	1.6	ND	0.18	2.2
	02/11/21	20	CVC(18%)/WELLS(82%)	35.0	1.75	9.1	0.75	38.0	1.64	120	1.97	37.0	1.04	15.00	0.24	220	8.4	410	120	1.5	ND	0.11	1.6
	01/11/21	10	WELLS(100%)	43.0	2.15	13.0	1.07	48.0	2.07	140	2.30	80.0	2.25	7.40	0.12	290	8.1	546	160	1.7	ND	0.16	1.6
	12/10/20	0	WELLS(100%)	22.0	1.10	3.7	0.30	63.0	2.72	120	1.97	24.0	0.67	2.90	0.05	220	8.6	423	69	3.3	3.40	0.61	1.7
	11/05/20	70	WELLS(100%)	32.0	1.60	7.8	0.64	50.0	2.16	140	2.30	35.0	0.98	9.60	0.15	230	8.1	412	110	2.1	0.16	0.28	1.9
	10/09/20	100	CVC(21%)/WELLS(79%)	30.0	1.50	8.6	0.70	38.0	1.64	140	2.30	34.0	0.96	10.00	0.16	220	8.1	407	110	1.6	0.22	0.16	1.2
	09/10/20	200	FKC(68%)/WELLS(32%)	22.0	1.10	4.1	0.34	30.0	1.29	81	1.33	18.0	0.51	6.60	0.11	140	7.8	250	72	1.5	ND	0.19	3.6
	08/11/20	130	FKC(46%)/CVC(5%)/Kern River(11%)/WELLS(38%)	35.0	1.75	7.5	0.61	58.0	2.50	140	2.30	36.0	1.01	10.00	0.16	260	7.9	430	120	2.3	ND	0.34	1.9
07/09/20	130	FKC(59%)/WELLS(41%)	25.0	1.25	5.3	0.43	32.0	1.38	98	1.61	25.0	0.70	8.90	0.14	170	7.9	327	84	1.5	ND	0.16	1.5	
<b>Average</b>			<b>31.5</b>	<b>1.6</b>	<b>8.2</b>	<b>0.7</b>	<b>43.4</b>	<b>1.9</b>	<b>131.4</b>	<b>2.2</b>	<b>37.6</b>	<b>1.1</b>	<b>9.5</b>	<b>0.2</b>	<b>224.3</b>	<b>8.1</b>	<b>384.1</b>	<b>111.6</b>	<b>1.8</b>	<b>1.1</b>	<b>0.2</b>	<b>2.0</b>	

**EXHIBIT "C1"**  
**ARVIN-EDISON WATER STORAGE DISTRICT**  
**WATER SUPPLY WATER QUALITY SUMMARY**

	Date	Flow <sup>1</sup> cfs	Import Source	Calcium		Magnesium		Sodium		Bicarbonate		Chloride		Nitrate		TDS mg/l	pH	EC umhos/cm	Hardness mg/l	SAR	Gypsum lbs/AF	Boron mg/l	Turbidity NTU
				mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l								
<b>Intertie Pipeline</b>	08/09/21	0	CVC(7%)/KD WELLS(5%)/WELLS(88%)	31.0	1.55	10.0	0.82	43.0	1.85	130	2.13	44.0	1.24	11.00	0.18	240	8.5	451	120	1.7	ND	0.15	2.4
	07/08/21	0	CVC(7%)/KD WELLS(6%)/WELLS(87%)	32.0	1.60	9.9	0.81	43.0	1.85	150	2.46	40.0	1.12	11.00	0.18	240	8.3	453	120	1.7	0.04	0.17	1.8
	06/04/21	0	FKC(21%)/CVC(5%)/KD WELLS(4%)/WELLS(70%)	28.0	1.40	8.6	0.70	42.0	1.81	130	2.13	35.0	0.98	9.70	0.16	220	8.3	411	110	1.8	0.58	0.19	7.0
	05/07/21	0	KD WELLS & KD MAIN(12%)/WELLS(88%)	36.0	1.80	11.0	0.90	40.0	1.72	150	2.46	38.0	1.07	11.00	0.18	240	8.1	439	130	1.5	ND	0.13	3.4
	04/07/21	0	KD WELLS & KD MAIN(9%)/WELLS(91%)	36.0	1.80	12.0	0.98	41.0	1.77	150	2.46	39.0	1.10	10.00	0.16	240	8.3	431	140	1.5	ND	0.15	4.1
	03/12/21	0	WELLS(100%)	32.0	1.60	9.1	0.75	42.0	1.81	120	1.97	35.0	0.98	11.00	0.18	220	8.5	406	120	1.7	ND	0.16	3.6
	02/11/21	0	CVC(18%)/WELLS(82%)	33.0	1.65	8.9	0.73	50.0	2.16	120	1.97	48.0	1.35	10.00	0.16	240	8.3	448	120	2.0	ND	0.23	3.9
	01/11/21	0	WELLS(100%)	40.0	2.00	12.0	0.98	48.0	2.07	130	2.13	70.0	1.97	23.00	0.37	300	8.2	547	150	1.7	ND	0.15	9.0
	12/10/20	0	WELLS(100%)	30.0	1.50	8.5	0.70	61.0	2.63	110	1.80	58.0	1.63	4.30	0.07	260	8.4	513	110	2.6	ND	0.39	9.4
	11/05/20	0	WELLS(100%)	30.0	1.50	8.6	0.70	41.0	1.77	120	1.97	27.0	0.76	8.70	0.14	200	8.5	362	110	1.7	ND	0.15	1.8
	10/09/20	0	CVC(21%)/WELLS(79%)	30.0	1.50	8.9	0.73	38.0	1.64	120	1.97	38.0	1.07	9.50	0.15	220	8.4	414	110	1.6	ND	0.15	3.9
	09/10/20	0	FKC(68%)/WELLS(32%)	24.0	1.20	4.9	0.40	35.0	1.51	83	1.36	24.0	0.67	6.30	0.10	170	8.5	284	80	1.7	ND	0.20	2.8
	08/11/20	0	FKC(46%)/CVC(5%)/Kern River(11%)/WELLS(38%)	30.0	1.50	8.4	0.69	47.0	2.03	100	1.64	36.0	1.01	9.50	0.15	220	8.4	375	110	2.0	ND	0.17	2.2
	07/09/20	0	FKC(59%)/WELLS(41%)	27.0	1.35	5.7	0.47	35.0	1.51	100	1.64	27.0	0.76	8.40	0.14	180	8.0	340	90	1.6	ND	0.19	1.9
		<b>Average</b>			<b>31.4</b>	<b>1.6</b>	<b>9.0</b>	<b>0.7</b>	<b>43.3</b>	<b>1.9</b>	<b>122.4</b>	<b>2.0</b>	<b>39.9</b>	<b>1.1</b>	<b>10.2</b>	<b>0.2</b>	<b>227.9</b>	<b>8.3</b>	<b>419.6</b>	<b>115.7</b>	<b>1.8</b>	<b>0.3</b>	<b>0.2</b>

Water Supply Water Quality Note: <sup>1</sup> Positive flow rate is reverse flow into the District. Where the reported value is ND, the method detection limit is entered.

Water Supply Water Quality Note: <sup>2</sup> Reverse flow into the District South Canal (Sycamore check gate was closed).

Water Supply Water Quality Note: <sup>3</sup> Constituent ran past sample hold time.

<p>ND: NONE DETECTED.</p> <p>NA: NOT AVAILABLE OR NOT TESTED.</p> <p>mg/l: MILLIGRAMS PER LITER; SAME AS PARTS PER MILLION (ppm).</p> <p>me/l: MILLEQUIVALENTS PER LITER; SAME AS EQUIVALENTS PER MILLION (epm).</p> <p>INTAKE: SAMPLE TAKEN AT COTTONWOOD RD. SOUTH OF PANAMA LANE.</p> <p>NORTH: SAMPLE TAKEN DOWNSTREAM OF SYCAMORE CHECK GATE.</p> <p>SOUTH: SAMPLE TAKEN DOWNSTREAM OF TEJON CHECK GATE.</p> <p>INTERTIE: TERMINUS OF SOUTH CANAL (S93 FOREBAY).</p> <p>SODIUM: FOR SURFACE IRRIGATION: SAR &lt; 3 IS GOOD. FOR SPRINKLER IRRIGATION: SODIUM &lt; 3 me/l IS GOOD.</p> <p>NITRATE: NITRATE IN WATER SLIGHTLY REDUCES FERTILIZER REQUIREMENT.</p> <p>BICARBONATE: BICARBONATE &lt; 1.5 me/l IS SATISFACTORY FOR OVERHEAD SPRINKLERS.</p> <p>CHLORIDE: FOR SURFACE IRRIGATION CHLORIDE &lt; 4 me/l IS GOOD.</p> <p>TDS: TDS &lt; 450 IS ACCEPTABLE FOR UNRESTRICTED USE.</p> <p>GYPSUM: AMOUNT OF CALCIUM SULFATE IN POUNDS PER ACRE-FOOT OF WATER APPLIED. INCREASES WATER PERMEABILITY AND HELPS CORRECT EXCESS SODIUM. INCREASES CLAY FLOCCULATION FOR INCREASING PERMEABILITY.</p>	<p>pH: A MEASURE OF ACIDITY. A pH &lt; 7 IS ACIDIC, pH = 7 IS NEUTRAL, pH &gt; 7 IS BASIC. NORMAL RANGE IS 6.5 - 8.4. A pH &gt; 8 MAY NEED TO BE BUFFERED FOR PESTICIDE APPLICATION. AFFECTS NUTRIENT AVAILABILITY.</p> <p>EC: ELECTRICAL CONDUCTIVITY. A MEASURE OF WATER SALINITY; SOIL - IN MILLIMHOS PER CENTIMETER (mmho/cm); WATER - MORE OFTEN, IN MICROMHOS PER CENTIMETER (umhos/cm). EC &lt; 700 (umhos/cm) HAS NO RESTRICTIONS FOR AGRICULTURAL USE. EC &lt; 200 (umhos/cm) CAN REDUCE INFILTRATION RATE.</p> <p>HARDNESS: HARD WATER, INDICATING CALCIUM AND MAGNESIUM, IS BENEFICIAL FOR AGRICULTURE.</p> <p>SAR: SODIUM ADSORPTION RATIO. A RATIO OF SODIUM TO CALCIUM AND MAGNESIUM. EVALUATE WITH EC. SAR = 0 - 3 AND EC &gt; 400 ACCEPTABLE SAR = 3 - 6 AND EC &gt; 900 ACCEPTABLE</p> <p>BORON: BORON &lt; 0.50 mg/l IS SATISFACTORY FOR ALL CROPS. EXCESSIVE BORON IS PHYTOTOXIC (BURNS) TO PLANTS.</p>
--	--