

**EXHIBIT "C1"**  
**ARVIN-EDISON WATER STORAGE DISTRICT**  
**WATER SUPPLY WATER QUALITY SUMMARY**

	Date	Flow cfs	Import Source	Calcium		Magnesium		Sodium		Bicarbonate		Chloride		Nitrate		TDS mg/l	pH	EC umhos/cm	Hardness mg/l	SAR	Gypsum lbs/AF	Boron mg/l	Turbidity NTU	
				mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l									
<b>Intake Canal</b>	04/07/22	30	KD WELLS & KD CENTRAL(100%)	33.0	1.65	5.3	0.43	25.0	1.08	120	1.97	16.0	0.45	7.70	0.12	180	8.2	320	110	1.0	ND	0.16	3.2	
	03/09/22	0	RESIDUAL FKC(100%)	6.0	0.30	0.8	0.06	5.5	0.24	29	0.48	3.3	0.09	0.34	ND	33	7.7	70	18	0.6	0.50	0.03	4.7	
	02/08/22	150	FKC(100%)	3.9	0.20	0.6	0.05	4.3	0.19	20	0.33	4.1	0.12	0.50	0.01	20	7.6	53	12	0.1	0.00	0.10	2.8	
	01/10/22	60	FKC(100%)	5.2	0.26	0.7	0.06	4.5	0.19	26	0.43	2.8	0.08	0.37	0.01	29	7.5	56	16	0.5	0.45	0.04	4.2	
	12/13/21	0	RESIDUAL FKC(100%)	17.0	0.85	1.0	0.08	25.0	1.08	58	0.95	17.0	0.48	6.60	0.11	120	8.1	221	46	1.6	0.12	0.04	1.7	
	11/09/21	80	FKC(100%)	16.0	0.80	1.2	0.10	21.0	0.91	67	1.10	13.0	0.37	3.50	0.06	100	8.0	197	46	1.3	0.78	0.09	2.6	
	10/07/21	40	CVC(100%)	7.5	0.38	0.7	0.06	8.0	0.34	33	0.54	3.8	0.11	1.10	0.02	43	7.6	79	22	0.8	0.47	0.03	1.8	
	09/09/21	60	CVC(100%)	8.0	0.40	0.7	0.06	7.8	0.34	36	0.59	4.3	0.12	1.10	0.02	45	7.8	90	23	0.7	0.54	0.02	2.3	
	08/09/21	35	CVC(56%)/KD WELLS(44%)	28.0	1.40	4.0	0.33	21.0	0.91	110	1.80	14.0	0.39	6.80	0.11	150	8.3	274	88	1.0	0.03	0.11	1.6	
	07/08/21	35	CVC(56%)/KD WELLS(44%)	27.0	1.35	2.8	0.23	27.0	1.16	110	1.80	18.0	0.51	5.10	0.08	150	8.3	298	80	1.3	0.97	0.12	2.6	
	06/04/21	110	FKC(68%)/CVC(18%)/KD WELLS(14%)	22.0	1.10	2.3	0.19	24.0	1.03	80	1.31	16.0	0.45	4.20	0.07	130	8.6	244	66	1.3	0.62	0.11	2.8	
	05/07/21	35	KD WELLS & KD MAIN(100%)	27.0	1.35	4.2	0.34	25.0	1.08	96	1.57	12.0	0.34	3.80	0.06	150	8.7	274	84	1.2	0.42	0.15	4.0	
	04/07/21	27	KD WELLS & KD MAIN(100%)	24.0	1.20	3.3	0.27	24.0	1.03	91	1.49	12.0	0.34	2.20	0.04	130	8.6	243	73	1.2	0.76	0.18	5.0	
03/12/21	0	RESIDUAL CVC(100%)	22.0	1.10	1.5	0.12	32.0	1.38	78	1.28	21.0	0.59	0.99	0.02	140	8.7	263	62	1.8	1.10	0.17	9.4		
	<b>Average</b>			<b>17.6</b>	<b>0.9</b>	<b>2.1</b>	<b>0.2</b>	<b>18.2</b>	<b>0.8</b>	<b>68.2</b>	<b>1.1</b>	<b>11.2</b>	<b>0.3</b>	<b>3.2</b>	<b>0.1</b>	<b>101.4</b>	<b>8.1</b>	<b>191.5</b>	<b>53.3</b>	<b>1.0</b>	<b>0.5</b>	<b>0.1</b>	<b>3.5</b>	
<b>North Canal</b>	04/07/22	48	KD WELLS & KD CENTRAL(18%)/WELLS(82%)	19.0	0.95	3.8	0.31	27.0	1.16	100	1.64	13.0	0.37	5.80	0.09	130	8.1	241	64	1.5	1.70	0.09	3.6	
	03/09/22	38	WELLS(100%)	16.0	0.80	2.9	0.24	43.0	1.85	95	1.56	20.0	0.56	2.10	ND	160	8.6	322	52	2.6	2.80	0.37	4.4	
	02/08/22	134	FKC(100%)	5.0	0.25	0.6	0.05	4.4	0.19	23	0.37	5.1	0.14	0.50	0.01	22	8.0	59	15	0.1	0.00	0.10	4.7	
	01/10/22	80	FKC(100%)	7.2	0.36	0.8	0.06	4.7	0.20	40	0.66	2.9	0.08	0.36	0.01	39	7.5	69	21	0.5	1.00	0.05	5.1	
	12/13/21	0	RESIDUAL FKC(100%)	31.0	1.55	2.7	0.22	21.0	0.91	130	2.13	9.4	0.26	2.80	0.05	150	7.7	310	88	1.0	1.60	0.07	6.7	
	11/09/21	58	FKC(100%)	17.0	0.85	1.3	0.11	19.0	0.82	71	1.16	12.0	0.34	2.70	0.04	98	8.2	190	47	1.2	0.94	0.10	3.3	
	10/07/21	14	CVC(24%)/WELLS(76%)	20.0	1.00	3.5	0.29	54.0	2.33	130	2.13	23.0	0.65	8.90	0.14	200	8.3	346	63	3.0	3.50	0.40	2.0	
	09/09/21	70	CVC(31%)/WELLS(69%)	18.0	0.90	3.6	0.30	56.0	2.41	120	1.97	26.0	0.73	10.00	0.16	200	8.4	369	60	3.1	4.10	0.41	3.0	
	08/09/21	14	CVC(10%)/KD WELLS(8%)/WELLS(82%)	24.0	1.20	4.4	0.36	34.0	1.47	130	2.13	15.0	0.42	12.00	0.19	170	8.2	314	77	1.7	2.40	0.12	2.9	
	07/08/21	58	CVC(10%)/KD WELLS(8%)/WELLS(82%)	19.0	0.95	3.8	0.31	43.0	1.85	130	2.13	19.0	0.53	8.20	0.13	180	8.3	335	63	2.4	3.40	0.26	1.9	
	06/04/21	148	FKC(27%)/CVC(7%)/KD WELLS(6%)/WELLS(60%)	21.0	1.05	4.1	0.34	52.0	2.24	130	2.13	25.0	0.70	10.00	0.16	210	8.4	378	68	2.8	3.50	0.41	4.4	
	05/07/21	58	KD WELLS & KD MAIN(18%)/WELLS(82%)	22.0	1.10	4.5	0.37	35.0	1.51	120	1.97	16.0	0.45	7.60	0.12	160	8.2	297	73	1.8	2.00	0.14	1.2	
	04/07/21	80	KD WELLS & KD MAIN(14%)/WELLS(86%)	20.0	1.00	4.3	0.35	34.0	1.47	110	1.80	17.0	0.48	5.50	0.09	150	8.3	274	68	1.8	1.90	0.16	2.4	
03/12/21	58	WELLS(100%)	22.0	1.10	3.9	0.32	40.0	1.72	120	1.97	17.0	0.48	7.00	0.11	170	8.2	303	70	2.1	2.20	0.19	1.2		
	<b>Average</b>			<b>18.7</b>	<b>0.9</b>	<b>3.2</b>	<b>0.3</b>	<b>33.4</b>	<b>1.4</b>	<b>103.5</b>	<b>1.7</b>	<b>15.7</b>	<b>0.4</b>	<b>6.0</b>	<b>0.1</b>	<b>145.6</b>	<b>8.2</b>	<b>271.9</b>	<b>59.2</b>	<b>1.8</b>	<b>2.2</b>	<b>0.2</b>	<b>3.3</b>	
<b>South Canal</b>	04/07/22	80	KD WELLS & KD CENTRAL(12%)/WELLS(88%)	33.0	1.65	9.8	0.80	37.0	1.59	140	2.30	37.0	1.04	9.20	0.15	220	8.2	419	120	1.4	ND	0.11	1.2	
	03/09/22	20	WELLS(100%)	16.0	0.80	2.9	0.24	42.0	1.81	110	1.80	19.0	0.53	1.60	ND	160	8.6	311	51	2.6	3.80	0.37	5.0	
	02/08/22	70	FKC(100%)	5.2	0.26	0.6	0.05	4.4	0.19	24	0.40	3.9	0.11	0.50	0.01	26	7.8	60	16	0.1	0.00	0.10	3.6	
	01/10/22	40	FKC(100%)	8.0	0.40	0.8	0.06	4.8	0.21	36	0.59	2.8	0.08	0.35	0.01	37	7.8	73	23	0.5	0.51	0.05	3.8	
	12/13/21	N/A	DOWN FOR WINTER MAINTENANCE	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	11/09/21	160	FKC(100%)	18.0	0.90	1.4	0.11	20.0	0.86	74	1.21	12.0	0.34	2.70	0.04	100	8.1	199	51	1.2	0.86	0.10	3.1	
	10/07/21	120	CVC(17%)/WELLS(83%)	32.0	1.60	8.6	0.70	49.0	2.11	140	2.30	40.0	1.12	11.00	0.18	240	8.1	428	120	2.0	0.05	0.21	2.0	
	09/09/21	110	CVC(23%)/WELLS(77%)	32.0	1.60	9.2	0.75	45.0	1.94	140	2.30	44.0	1.24	10.00	0.16	240	8.3	453	120	1.8	0.06	0.22	1.8	
	08/09/21	0	CVC(7%)/KD WELLS(5%)/WELLS(88%)	40.0	2.00	12.0	0.98	45.0	1.94	160	2.62	61.0	1.71	12.00	0.19	280	8.2	525	150	1.6	ND	0.14	1.6	
	07/08/21	90	CVC(7%)/KD WELLS(6%)/WELLS(87%)	31.0	1.55	8.7	0.71	41.0	1.77	140	2.30	37.0	1.04	11.00	0.18	230	8.2	440	110	1.7	0.27	0.16	1.5	
	06/04/21	160	FKC(21%)/CVC(5%)/KD WELLS(4%)/WELLS(70%)	27.0	1.35	7.4	0.61	46.0	1.98	140	2.30	35.0	0.98	10.00	0.16	220	8.2	4	98	2.0	1.40	0.25	4.9	
	05/07/21	120	KD WELLS & KD MAIN(12%)/WELLS(88%)	34.0	1.70	9.7	0.80	40.0	1.72	140	2.30	37.0	1.04	9.70	0.16	230	8.1	420	120	1.6	ND	0.12	1.0	
	04/07/21	140	KD WELLS & KD MAIN(9%)/WELLS(91%)	32.0	1.60	9.0	0.74	39.0	1.68	140	2.30	32.0	0.90	9.00	0.15	210	8.2	381	120	1.6	ND	0.15	1.6	
03/12/21	50	WELLS(100%)	33.0	1.65	8.5	0.70	40.0	1.72	140	2.30	35.0	0.98	11.00	0.18	220	8.2	403	120	1.6	ND	0.18	2.2		
	<b>Average</b>			<b>26.2</b>	<b>1.3</b>	<b>6.8</b>	<b>0.6</b>	<b>34.9</b>	<b>1.5</b>	<b>117.2</b>	<b>1.9</b>	<b>30.4</b>	<b>0.9</b>	<b>7.5</b>	<b>0.1</b>	<b>185.6</b>	<b>8.1</b>	<b>316.6</b>	<b>93.8</b>	<b>1.5</b>	<b>0.9</b>	<b>0.2</b>	<b>2.6</b>	

**EXHIBIT "C1"**  
**ARVIN-EDISON WATER STORAGE DISTRICT**  
**WATER SUPPLY WATER QUALITY SUMMARY**

	Date	Flow <sup>1</sup> cfs	Import Source	Calcium		Magnesium		Sodium		Bicarbonate		Chloride		Nitrate		TDS mg/l	pH	EC umhos/cm	Hardness mg/l	SAR	Gypsum lbs/AF	Boron mg/l	Turbidity NTU	
				mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l									
				<b>Intertie Pipeline</b>	04/07/22	0	KD WELLS & KD CENTRAL(12%)/WELLS(88%)	33.0	1.65	9.5	0.78	36.0	1.55	140	2.30									35.0
03/09/22	0	WELLS(100%)	15.0		0.75	3.0	0.25	15.0	0.65	65	1.07	10.0	0.28	4.10	0.07	90	8.2	187	51	0.9	0.24	0.07	4.4	
02/08/22	-40	FKC(100%)	6.7		0.34	0.8	0.06	4.5	0.19	26	0.43	4.4	0.12	0.50	0.01	29	8.1	76	20	0.0	0.00	0.10	7.0	
01/10/22	-40	FKC(100%)	9.8		0.49	0.9	0.08	5.7	0.25	41	0.67	3.5	0.10	0.54	0.01	44	7.9	87	28	0.5	0.45	0.05	4.5	
12/13/21	N/A	DOWN FOR WINTER MAINTENANCE	N/A		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
11/09/21	0	FKC(100%)	22.0		1.10	4.6	0.38	31.0	1.34	93	1.52	18.0	0.51	4.90	0.08	150	8.4	299	73	1.6	0.72	0.20	4.0	
10/07/21	0	CVC(17%)/WELLS(83%)	38.0		1.90	12.0	0.98	48.0	2.07	150	2.46	49.0	1.38	12.00	0.19	270	8.3	477	140	1.7	ND	0.17	4.5	
09/09/21	0	CVC(23%)/WELLS(77%)	37.0		1.85	12.0	0.98	44.0	1.90	160	2.62	49.0	1.38	13.00	0.21	260	8.2	496	140	1.6	ND	0.14	5.3	
08/09/21	0	CVC(7%)/KD WELLS(5%)/WELLS(88%)	31.0		1.55	10.0	0.82	43.0	1.85	130	2.13	44.0	1.24	11.00	0.18	240	8.5	451	120	1.7	ND	0.15	2.4	
07/08/21	0	CVC(7%)/KD WELLS(6%)/WELLS(87%)	32.0		1.60	9.9	0.81	43.0	1.85	150	2.46	40.0	1.12	11.00	0.18	240	8.3	453	120	1.7	0.04	0.17	1.8	
06/04/21	0	FKC(21%)/CVC(5%)/KD WELLS(4%)/WELLS(70%)	28.0		1.40	8.6	0.70	42.0	1.81	130	2.13	35.0	0.98	9.70	0.16	220	8.3	411	110	1.8	0.58	0.19	7.0	
05/07/21	0	KD WELLS & KD MAIN(12%)/WELLS(88%)	36.0		1.80	11.0	0.90	40.0	1.72	150	2.46	38.0	1.07	11.00	0.18	240	8.1	439	130	1.5	ND	0.13	3.4	
04/07/21	0	KD WELLS & KD MAIN(9%)/WELLS(91%)	36.0		1.80	12.0	0.98	41.0	1.77	150	2.46	39.0	1.10	10.00	0.16	240	8.3	431	140	1.5	ND	0.15	4.1	
03/12/21	0	WELLS(100%)	32.0		1.60	9.1	0.75	42.0	1.81	120	1.97	35.0	0.98	11.00	0.18	220	8.5	406	120	1.7	ND	0.16	3.6	
	<b>Average</b>			<b>27.4</b>	<b>1.4</b>	<b>8.0</b>	<b>0.7</b>	<b>33.5</b>	<b>1.4</b>	<b>115.8</b>	<b>1.9</b>	<b>30.8</b>	<b>0.9</b>	<b>8.3</b>	<b>0.1</b>	<b>189.5</b>	<b>8.2</b>	<b>355.0</b>	<b>100.9</b>	<b>1.4</b>	<b>0.3</b>	<b>0.1</b>	<b>4.2</b>	

Water Supply Water Quality Note: <sup>1</sup> Positive flow rate is reverse flow into the District. Where the reported value is ND, the method detection limit is entered.  
 Water Supply Water Quality Note: <sup>2</sup> Reverse flow into the District South Canal (Sycamore check gate was closed).  
 Water Supply Water Quality Note: <sup>3</sup> Constituent ran past sample hold time.

ND:	NONE DETECTED.	pH:	A MEASURE OF ACIDITY. A pH < 7 IS ACIDIC, pH = 7 IS NEUTRAL, pH > 7 IS BASIC. NORMAL RANGE IS 6.5 - 8.4. A pH > 8 MAY NEED TO BE BUFFERED FOR PESTICIDE APPLICATION. AFFECTS NUTRIENT AVAILABILITY.
NA:	NOT AVAILABLE OR NOT TESTED.		
mg/l:	MILLIGRAMS PER LITER; SAME AS PARTS PER MILLION (ppm).		
me/l:	MILLEQUIVALENTS PER LITER; SAME AS EQUIVALENTS PER MILLION (epm).	EC:	ELECTRICAL CONDUCTIVITY. A MEASURE OF WATER SALINITY; SOIL - IN MILLIMHOS PER CENTIMETER (mmho/cm); WATER - MORE OFTEN, IN MICROMHOS PER CENTIMETER (umhos/cm). EC < 700 (umhos/cm) HAS NO RESTRICTIONS FOR AGRICULTURAL USE. EC < 200 (umhos/cm) CAN REDUCE INFILTRATION RATE.
INTAKE:	SAMPLE TAKEN AT COTTONWOOD RD. SOUTH OF PANAMA LANE.		
NORTH:	SAMPLE TAKEN DOWNSTREAM OF SYCAMORE CHECK GATE.		
SOUTH:	SAMPLE TAKEN DOWNSTREAM OF TEJON CHECK GATE.		
INTERTIE:	TERMINUS OF SOUTH CANAL (S93 FOREBAY).		
SODIUM:	FOR SURFACE IRRIGATION: SAR < 3 IS GOOD. FOR SPRINKLER IRRIGATION: SODIUM < 3 me/l IS GOOD.	HARDNESS:	HARD WATER, INDICATING CALCIUM AND MAGNESIUM, IS BENEFICIAL FOR AGRICULTURE.
NITRATE:	NITRATE IN WATER SLIGHTLY REDUCES FERTILIZER REQUIREMENT.		
BICARBONATE:	BICARBONATE < 1.5 me/l IS SATISFACTORY FOR OVERHEAD SPRINKLERS.	SAR:	SODIUM ADSORPTION RATIO. A RATIO OF SODIUM TO CALCIUM AND MAGNESIUM. EVALUATE WITH EC. SAR = 0 - 3 AND EC > 400 ACCEPTABLE SAR = 3 - 6 AND EC > 900 ACCEPTABLE
CHLORIDE:	FOR SURFACE IRRIGATION CHLORIDE < 4 me/l IS GOOD.		
TDS:	TDS < 450 IS ACCEPTABLE FOR UNRESTRICTED USE.		
GYPSUM:	AMOUNT OF CALCIUM SULFATE IN POUNDS PER ACRE-FOOT OF WATER APPLIED. INCREASES WATER PERMEABILITY AND HELPS CORRECT EXCESS SODIUM. INCREASES CLAY FLOCCULATION FOR INCREASING PERMEABILITY.	BORON:	BORON < 0.50 mg/l IS SATISFACTORY FOR ALL CROPS. EXCESSIVE BORON IS PHYTOTOXIC (BURNS) TO PLANTS.