

# ARVIN-EDISON WATER STORAGE DISTRICT

## REPORT OF DISTRICT OPERATIONS

November 2021



20401 East Bear Mountain Blvd.  
Mailing: P.O. Box 175  
Arvin, CA 93203-0175  
Phone: 661-854-5573  
Fax: 661-854-5213  
E-mail: [arvined@aebsd.org](mailto:arvined@aebsd.org)  
Website: [aebsd.org](http://aebsd.org)

*Installing Earth Berm to Isolate North and South Canals for Winter Maintenance Activities (Sycamore Check Structure in Background)*

# **WATER SUPPLY**

## **Friant Division Central Valley Project (CVP)**

- The 2021 Water Year allocation was increased from 20% to 25% which amounts to 10,000 AF. However, the additional 5% must be delivered by end of February 2022.
- Exhibit “A” provides additional supply information for 2021 Water Year supplies

## **San Joaquin River (SJR) Restoration Program (SJRRP)**

- The 2021 Runoff Year is final at 521,664 AF of natural river runoff in the SJR watershed, which is a “Critical-High” year type pursuant to SJR settlement and accordingly, the SJRRP would receive 70,919 AF of water supply.
- Given a “Critical-High” year and due to low reservoir conditions, a potential call on San Joaquin River to meet Exchange Contractor demands, and other considerations the SJRRP Restoration Flows have been eliminated until mid-November and the remaining volume will be used in the winter to reestablish and reconnect the SJR downstream of Sack Dam (more cold water in fall and assist with low point).
- Given a “Critical-High” year there is likely no Unreleased Restoration Flows and limited Recapture/Recirculation opportunity (additional fall and/or carryover into 2022 supplies to Contractors).
- Provided continued dry conditions, the SJRRP initially called on AEWSD’s 2016 exchange agreement for 7,000 AF in 2021 and consequently the SJRRP would provide 21,000 AF in return for such exchange. However, the SJRRP has modified its request to completely reduce the exchange to 0 AF. District will purchase 3,500 AF at \$150 per AF and the remaining 3,500 AF will be included in the 2018 exchange agreement, which increases each of the return ratio scenarios by an additional 0.5 AF (so in 2021 instead of 3 to 1 it would be 3.5 to 1) in return.
- District’s RWA credit beginning balance is approximately 90,630 AF (subject to reconciliation and staff review). RWA credits allow the District to purchase water for \$10/AF during wet periods when RWA water is declared (no opportunity in 2021).

## **Shasta System CVP**

- The 2021 allocation for south of Delta Ag remains at 0%

## **State Water Project (SWP)**

- The 2022 Table A initial allocation is 0%

## **Kern River**

- 2021 supplies are currently estimated at 16% of average

## **Water Bank Facilities**

- Given limited initial surface supply allocations, heavy reliance on wellfields and previously banked water is expected for the 2021 Water Year (98,000 AF)

## **Metropolitan Water District (MWD) Program**

- MWD beginning balance is 142,257 AF in water bank reserves
- The District obtained its twelfth consecutive year approval from the State Water Resources Control Board regarding a Petition for a Consolidated Place-of-Use (CPOU), which now expires on July 15, 2022
- The CPOU petition includes the ability to exchange all types of Arvin-Edison supplies

with MWD including unbalanced exchanges

- The District's 10-year NEPA documentation is complete and approved until March 21, 2024.
- District has begun communicating with MWD staff regarding 2021 and 2022 program activity involving surface water supplies and/or groundwater supplies that meet California Aqueduct requirements
- District successfully worked with MWD, DWR, KCWA, Reclamation and Friant Water Authority on an exchange of up to 50,000 AF that involves the AE/MWD Agreement that provides for supplemental water supply in San Luis Reservoir (Friant to MWD for MWD State Water Project) and therefore eliminates the need to release such quantity into the San Joaquin River thereby saving on some losses. This exchange provided for 4,219 AF of return subject to the AE/MWD Agreement provisions.

### **Rosedale-Rio Bravo Water Storage District (RRBWSD) Program**

- The District's 2021 beginning account balance for water held in RRBWSD is at 64,462 AF.
- District received 10,000 AF from the program, by exchange with Kern Delta (see below), to supplement other surface water supplies, which reduced the account to 54,462 AF.
- Districts executed a "2021 Use of CVC/FKC Intertie Agreement" for the RRBWSD-Delano Earlimart banking program.

### **Kern Delta Water District (KDWD)**

- Staff continues meeting with KDWD staff to advance water management opportunities including joint partnership in groundwater recharge facilities and interconnection facilities between Forrest Frick Pumping Plant Discharge Pipeline and the Eastside Canal.
- AEWSD-KDWD-RRBWSD have executed a 2021 operational exchange in which AEWSD's 10,000 acre-feet from RRBWSD would be delivered via KDWD from April through September and RRBWSD would deliver 10,000 acre-feet to KDWD (for MWD) from March through December. District have started discussions for a similar 2022 operational exchange.
- KDWD approved bids for the earthwork portion of the Sunset Groundwater Recharge Facility and construction is ongoing with estimated completion in January 2022.

### **District Partnerships**

- The District has participated in water management programs with the following districts/agencies in Water Year 2021:

Arroyo Pasajero Mutual Water Company	Rosedale-Rio Bravo Water Storage District
Chowchilla Water District	San Joaquin River Restoration Program
City of Bakersfield	San Joaquin River Exchange Contractors
Fresno County	Saucelito Irrigation District
Garfield Water District	Shafter-Wasco Irrigation District
Hills Valley Irrigation District	Sun Pacific Farming Cooperative
Ivanhoe irrigation District	Tejon Ranch Corp
Kern Delta Water District	Tri-Valley Water District
Kern Water Bank	Westlands Water District
Lewis Creek Water District	Westside Mutual Water Company
Metropolitan Water District	

## **WATER DEMAND**

- District surface water deliveries for the month were 3,698 AF (35% below average)
- The following is a summary of surface water deliveries for November 2021:

	<b>November 2021</b>		<b>Year to Date</b>	
	Historical	2021 WY	Historical	2021 WY
Turnout Deliveries	5,692	3,693	126,088	107,662
In-Lieu Deliveries	-	-	-	-
Temporary Water	-	-		
Spreading	-	54	-	2,063
<b>Total</b>	<b>5,692</b>	<b>3,747</b>	<b>126,088</b>	<b>109,725</b>

- Exhibit "B" illustrates the delivery data
- The month's peak daily in-District demand was 160 cfs, which occurred on the 9<sup>th</sup>
- Exhibit "C-1" details Canal Water Quality information
- Exhibit "C-2" presents the Aquatic Pest Control Treatments (\$420,296) for Calendar Year 2021

## **GENERAL**

- Staff continued efforts for finalizing the 2022 Water Year Budget Planning
- Staff continued investigations regarding increasing its cybersecurity
- Staff began preparations for Winter Maintenance activities
- District vehicles consumed an estimated 4,350 gallons of fuel during the month (average fuel efficiency of 11.0 mpg)
- There were 467 hours lost due to illness (including COVID-19 hours) and 160 hours lost due to on-the-job injuries with no employees out on Workers' Compensation Claim
- Exhibit "D" highlights precipitation, temperature, and wind speed
- Exhibit "E" summarizes energy consumption and power demand for Water Year 2021 is expected to generate an electrical demand of approximately 138 million kilowatt hours
- Exhibit "I" list various meetings for Directors, Management and Engineering staff



## ENGINEERING DEPARTMENT ACTIVITIES



*Earthwork Continues (Sunset Spreading Works)*



*Pipeline Installation for Gravity Pond Diversion (Sunset Spreading Works)*

### Routine Activities

- Review and accounting of District's water supply and related contracts
- Administration or proposals of water management and wheeling agreements
- Groundwater level surveys and associated exhibits
- Water quality testing
- ArcGIS database updates and maintenance (facilities, water service areas, boundaries, etc.)
- Inspection/evaluation and/or repair of cathodic protection rectifiers and test stations
- CIMIS station management (<https://cimis.water.ca.gov/Stations.aspx>)
- Land use/crop surveys with data entry
- Monthly/annual reports regarding water deliveries, water use, and energy use

### Grants & Funding Opportunity Updates

- District **was awarded** 2020 USBR WaterSMART grant application for the Forrest Frick Pipeline/Eastside Canal Intertie at \$500,000 (with a \$500,000 local cost share) and a grant contract was executed; however, completion of the cultural portion for the NEPA Categorical Exclusion is anticipated in December.
- Staff submitted a grant application for the USBR WaterSMART Drought Resiliency Projects funding opportunity for the DiGiorgio Unit expansion at \$2,000,000 (with a \$2,600,000 local cost share). The project would cover an additional 1,025 acres and incorporate 6 wells into the District's distribution system. Grant announcement is anticipated in March/April 2022.
- NRCS landowner incentive programs assist with implementing various conservation activities, including but not limited to, irrigation system improvements, filtration needs, water/nutrient/pest management, and engine replacement:
  - Phone (661) 336-0967
  - Website ([www.ca.nrcs.usda.gov](http://www.ca.nrcs.usda.gov))

### Other Activities

- Administration and accounting of on-going water management programs
- Technical support and review of ongoing projects/studies such as:

- Sunset Spreading Works (w/Kern Delta WD)
  - Earthwork commenced
  - Investigating power options (PG&E vs. various PWRPA rates)
  - Electrical and pipeline design is anticipated to be completed in Winter 2021
- Forrest Frick and Eastside Canal Intertie (w/ Kern Delta WD)
  - Working with the USBR on environmental compliance
  - Working with PG&E on facilities extension for new service
  - Draft O&M agreement submitted to Kern Delta for review
- Potential Interconnections (w/ Wheeler Ridge-Maricopa WSD)
  - Coordination with both Districts' staff continued to deliver District water into the 850 Canal, which will ultimately be delivered back into AEWSO overlap lands with Wheeler-Ridge
- Groundwater Service Area System Expansion CEQA Planning
  - The Mitigated Negative Declaration has been completed and filed.
  - P&P drafting 30% design scope of work for remaining pipeline segments
- Pump Replacement Program
  - Staff has installed 2-5 cfs units, 4-10 cfs units and 5-20 cfs units and the 4 remaining units are anticipated for installation in December
- Turnout modification requests
  - Canopy Ag (E-29) reconciliation
- Temporary and/or In-Lieu Water Service Contract requests
  - Sunview
- Surface Water Service Area relocation request
  - Johnston (Arvin Unit)
- Landowner pipeline replacement (adjacent to and within Sycamore Spreading)
- Cathodic protection system upgrades
  - Standtank anode replacement preparation (Winter Maintenance)
- Pump Efficiency Testing
  - District wide testing completed, final summary report in progress
  - As needed for replaced pumps
- Real Time Water Quality Monitoring
  - Remote connection for data access and website display is in progress
- CIMIS Station
  - Coordinated landline to cellular conversion with Department of Water Resources (installation pending)
- Intertie Pipeline Inspection
  - Reviewing alternate inspection methods that do not require a drained pipeline
- Standtank Painting
  - Project closeout (labor compliance)
- Open ET review and comparison
- Groundwater usage in Surface Water Service Area analysis
- Groundwater Metering
  - Coordinate warranty repairs with Manufacturer

## SGMA Activities

- Continued coordination meetings and outreach activities
- Continued review of well permits and submitted comment letters to those within or near AEWSD
- Attended various GSA meetings
- Coordinated GSA boundary revisions with neighboring agencies
  - Kern Groundwater Authority review complete, DWR submittal completed (90-day grace period)
- Development of a potential Well Mitigation Policy
- Evaluate various Water Budget methodologies
- WWGSA Draft GSP 60-day public comment period closed

## Requests for Information/Easements/Planning Notices

- Water supply
- Water costs
- Historical groundwater levels
- Monitoring well conversions
- Water quality
- Land use data
- Easements and/or right-of-way encroachments
  - Shell Oil (Intake Canal)
  - Quad Knopf development (Intake Canal)
- Reviewing/responding to multiple planning notices
  - Kern County (various developments/potential facility conflicts)
  - Kern County “water availability” letter on two (2) proposed developments in Edison area (1 in GWSA and 1 in SWSA)
- Reviewed/responded to environmental documents, as necessary

## Power Related Activities

- Assisted PWRPA consultants with
  - Power coordination and monitoring
  - PWRPA invoice and demand data changes
  - Monthly billing anomalies/meter reconciliations
  - Load forecast updates and rate analysis
  - Contract demand analysis
  - WDT 3 impact review
  - Power accounting report
- PG&E Power Safety Public Shutoff coordination
- Coordinated meter database changes with PG&E
- Reviewed long-term power management activities
  - Continued investigation of low head hydro potential (Intake Canal)
  - District Headquarters Solar construction coordination
  - Reviewed available local solar renewable energy certificates to Western Renewable Energy Generation Information System (credits to be used by District/PWRPA)
  - Continued microgrid solar proposal project investigation
  - Review and coordinate Demand Response Program
- Coordinate long term power analysis for Sunset GW Recharge Facility
- Calendar Year and Water Year power reconciliations and summaries
- Various power cost analysis and reviews for 2022 water year budget planning

- Groundwater Service Program
  - Monthly invoicing and program coordination

## **SPREADING WORKS OPERATIONS (WELLFIELDS AND BASINS)**

- Exhibit “F” summarizes wellfield production, which totaled 0 AF for the month
- Exhibit “G” summarizes gross direct spreading of 54 AF for the month due to draining North Canal for Winter Maintenance
- Exhibits “H-1” and “H-2” summarize current static and/or pumping water in table and graphic forms
- Following is a summary of repairs associated with “active” District wells:

<b><u>Field</u></b>	<b><u>Well #</u></b>	<b><u>Year</u></b>	<b><u>HP</u></b>	<b><u>Reason</u></b>	<b><u>Work</u></b>
North Canal*	3	1972	300	Low Production and Excess Vibrations	Pulled equipment, brushed, replacement pump ordered
Sycamore	2	1967	300	Low Production and Excess Vibrations	Pulled equipment, replacement pump ordered
Sycamore	8	1967	300	Excess Vibrations	Pulled and inspected equipment, video
Sycamore	14	1967	300	Low Production and Excess Vibrations	Pulled and inspected equipment, brushed, replacement pump ordered
Sycamore	17	1967	300	Low Production Excess Vibrations	Pulled and inspected equipment, replacement pump ordered
Tejon	77	1966	300	Excess Vibrations	Pulled equipment, replacement pump ordered
Tejon	80	1970	300	Excess Vibrations	Pulled and inspected equipment, video, replacement pump ordered
Tejon	95	1998	300	Low Production and Excess Vibrations	Equipment pulled, video, pump replacement ordered

\*Back in Service

- Nine (9) out of 86, or 10%, of District wells are currently out of service and consultants are reviewing repair options
  - Two (2) long-term failures in Sycamore 34 and Tejon 91
  - Seven (7) see above table
- Well Replacement Program
  - Tejon Spreading Works coordination with PG&E to troubleshoot power issues continues



# OPERATIONS DEPARTMENT ACTIVITIES



*Marking Underground Service Alert Pipelines (W-23)*



*Replacing Turnout Valve (A-71)*

## **Routine Activities**

- Operate and monitor the District's water distribution and delivery systems including canals, ponds and reservoirs
- Conducted monthly safety meetings
- Inspected control systems at pumping plants (transducers, Cla-valves, battery back-ups, etc.)
- Assisted personnel in the repair, replacement, and/or maintenance of facilities on an as-needed basis for the following items:
  - Replaced flowmeter batteries (turnouts and wells)
  - Flushed and cleaned various turnouts and appurtenances
  - Greased turnout valve operators
  - Maintained weed control (pumping plants, turnouts, air vents, and isolation valves)
  - Changed lights and panel bulbs (as needed)
  - Inspected/replaced water quality warning labels at turnouts
  - Cleaned and/or replaced air-chamber sight glasses
  - Replaced missing locks and chains (canal gates and turnouts)
- Staff performed end-of-month meter readings at Interties, Wells, Turnouts, and Pumping Plants (power)

## **Additional Activities**

- Discontinued wellfield operations and transitioned to surface water operations
- Operated pumping plants (North side) in hand to assist with controls equipment upgrade
- Respond to damaged air vent (Lateral S64-4)
- Respond to main line leak (near S73-P4)
- Coordinated with Bakersfield Police Department in removing encampments (Intake Canal)
- Coordinated with Wheeler Ridge-Maricopa WSD Operations staff to deliver water into the 850 Canal and subsequently into overlap area
- Clear out turnout base isolation valves (North and South side)
- Reset displaced concrete rings (air vents and isolation valves)

- Order materials in preparation for winter maintenance
- Replaced Various Valve Operators
  - Turnouts (C-21 and T-10)
- Responded to various Pumping Plant alarms (reset and primed laterals)
- Stenciled turnouts, well discharge pipes, and meter concrete rings with labels (as needed)
- Initiated Winter Maintenance activities
  - Checked and cleaned out pump plant drain back valve access tubes (North side)
  - Marked isolation valve locations for repairs
  - Removed weir boards for canal dewatering (Sycamore and North Canal Spreading Works)

### **Underground Service Alert (USA) Report**

- District initiated 14
- Responded to 199 USA notices to locate District underground facilities
  - 14 required markings of District facilities
  - 48 were renewals
  - 137 with no conflicts

### **Power Outages and/or Interruptions Involving the Following Systems**

- Laterals N8, S64, and S73

### **Laterals Prorates (number of days)**

- No prorates for the month

## **MAINTENANCE DEPARTMENT ACTIVITIES**



*Grading Levees (Intake Canal)*



*Repairing North Canal Dewatering Discharge Pipeline (Sycamore Check Structure Bypass)*

### **Routine Activities**

- Aquatic and terrestrial weed control (Intake Canal)
- Routine gardening and maintenance at Headquarters and CIMIS station
- Fence and gate repair (Intake Canal and Pumping Plants)
- Grading (Intake Canal)
- Cleared out forebays (North and South Canal)
- Discing (Balancing Reservoir)

- Assisted other Departments as needed (Operations and Pump Shop)
- Conducted monthly safety meeting including COVID procedures

### Additional Activities

- Install lock box to secure starter controls (Sunset Spreading Works)
- Haul away plastic and other recyclables
- Repair damaged air vent (T-09)
- Repaired office lights (Bakersfield office)
- Remove excess debris (North Canal Spreading Works)
- Prepped and painted various facilities and equipment
  - Pumping Plants (N1-P5, N55-P13, and N55-P14)
- Initiated Winter Maintenance activities
  - Serviced equipment to be used for Winter Maintenance
  - Set up pumps for dewatering (North Canal Spreading Works, Rockpile Rd, and Sycamore Spreading Works)
  - Dig up planned repair sites
  - Excavate pit sites to dump removed sediment built up in the canal
  - Begin opening up standtanks for inspection and cleaning (North Side)

### Mechanic's Shop Repair Activities

- Routine weekly inspection on the fuel tank, gas pumps, and generator
- Fleet repairs/replacement parts

Part	Repair/Replaced	Part	Repair/Replaced
Brakes	4	Tail Lights	2
Tires	6	Belts	1
Tire Repairs	4	Spot Lights	1
Rotors/Drums	2	Wiper Blades	8
Batteries	1	Cabin Filter	4
Fuel Filters	4	Trailer Lights	2
Headlights	1		

- Heavy Equipment Repairs
  - Replaced bushings (Grader)
  - Repaired gangs (Disc)
  - Replaced air filter (Backhoe)

## PUMP DEPARTMENT ACTIVITIES



*Installing Victaulic Coupler  
(N55-P1 Unit #4)*



*Flow Measurement for FFPP Unit #3 Pump  
Install (New)*

## Routine Pump Maintenance Activities

- Replacing pump packing
- Pump bearing lubrication at various pumping plants
- Maintain drip oil on District Wells
- Inspection and maintenance of air compressors
- Inspection and/or adjustment of travelling water screens/moss screens.

## Additional Activities

- Continued working with Engineering Department on Pump Replacement Program
  - Continued pilot testing for Phase 2 (horizontal pumps)
  - Ongoing installation and testing of Phase 1 pumps
- Rebuilt damaged bypass valve (N55-P1 Units 1-4)
- Continued annual oil changes on motors and compressors (District wide)
- Initiated Winter Maintenance Activities
  - Installed new Victaulic couplers, butterfly valves, and swing valves (North side pumping plants)
  - Installed pump and corresponding discharge piping for bypass (Sycamore Check Structure)

## PUMP & MOTOR REPAIR SUMMARY

	<u>Pumping Plant/Wells</u>	<u>Unit</u>	<u>Size</u>	<u>Time/Hours</u>	<u>Reason</u>
<u>Vertical Pumps</u>	N41-P1	3	10 CFS	28,280	Damaged Bushings and Shaft
	S73-P1	2	20 CFS	9,195	Increase System Flow
<u>Vertical Motors</u>	None to Report				
<u>Horizontal Pumps</u>	N55-P7	1	5 CFS	3,200	Damaged Impeller
<u>Horizontal Motors</u>	N1-P3	1	50 HP	3,715	Burnt Windings

## CONTROLS DEPARTMENT ACTIVITIES

### Routine Activities

- SCADA/radio maintenance or troubleshooting
- Monthly and annual inventory
- Testing and repair/replacement of distribution system and well facility electrical components as needed


<b>Component</b>	<b>Replaced/Repaired</b>	<b>Component</b>	<b>Replaced/Repaired</b>
Relays	1	Soft Start	1

### Additional Activities

- Programming for SCADA and radio system updates and monitored performance
- Continued working with contractors on radio and PLC Replacement Project (N55-P6, P7, P8, P11, and P12)



## FORREST FRICK PUMPING PLANT



*Pump Test Results (FFPP Unit #3)*

- 3,690 AF of water was pumped during the month
- Unit #3 motor and pump startup and testing was successfully completed
- Consultants are designing reverse flow facilities into the Intake Canal to assist in regulating wellfield production during shoulder months to increase peaking water supplies

## INTERTIE PUMPING PLANT


- There was no import (gravity delivery) or export (pumped delivery) of water (0 AF) through the Intertie Pipeline Pumping Plant

**EXHIBIT "A-1"**  
**ARVIN-EDISON WATER STORAGE DISTRICT**  
**2021 WATER SUPPLY AND DEMAND**

<u>SUPPLY</u>	<u>AF</u>	<u>%</u>
<b>FRIANT-KERN (F-K)</b>		
25% OF 40,000 AF CLASS 1	10,000	
0% OF 311,675 AF CLASS 2 (Uncontrolled Season)/RWA	0	
0% OF 311,675 AF CLASS 2	0	
CARRYOVER OF 2020 WATER	7,611	
SHAFTER-WASCO ID	174	
SUBTOTAL	17,785	
FRESNO COUNTY	-600	
GARFIELD WD	-61	
HILLS VALLEY ID	-22	
TRI VALLEY WD	-7	
LEWIS CREEK WD	-21	
SAUCELITO ID	-346	
IVANHOE ID	-200	
SJRRP RETURN	0	
TOTAL F-K	16,528	13.4%
<b>CROSS VALLEY CANAL (CVC)</b>		
RETURN TO MWD	-4,219	
RECIRCULATION (WESTLANDS)	-2,595	
WESTSIDE MWC/KWB	1,494	
TEJON RANCH/ARROYO PASAJERO	1,990	
ROSDALE-RIO BRAVO (KDWD EXCHANGE)	4,376	
SLR 2020 CARRYOVER	2,595	
TOTAL CVC	3,641	3.0%
<b>STATE WATER PROJECT (AQUEDUCT)</b>		
KT EXCHANGE	0	
TOTAL AQUEDUCT	0	0.0%
<b>INTERTIE PIPELINE (IPL)</b>		
FLOOD EMERGENCY RETURN	0	
TOTAL IPL	0	0.0%
<b>KERN RIVER</b>		
FRESNO COUNTY	0	
MWD BANKING	0	
KERN DELTA H ST (RRBWS D EXCHANGE)	5,624	
TOTAL IPL	5,624	4.6%
<b>INTAKE CANAL PUMP-IN (IC)</b>		
KERN DELTA WELLS	0	
KERN DELTA H STREET	0	
TOTAL KR	0	0.0%
<b>TOTAL IMPORT</b>	<b>25,793</b>	<b>20.9%</b>
<b>GROUNDWATER PUMPING</b>		
IRRIGATION DEMAND	97,569	
FARM PUMP IN	0	
RETURN TO MWD	0	
TOTAL PUMPING	97,569	79.1%
<b>TOTAL WATER SUPPLY</b>	<b>123,362</b>	<b>100.0%</b>
<b>DEMAND</b>		
IRRIGATION DEMAND (MARCH-NOVEMBER)	107,662	87.3%
IRRIGATION DEMAND (DECEMBER-FEBRUARY)	5,900	4.8%
SPREADING (MARCH-NOVEMBER)	2,063	1.7%
SPREADING (DECEMBER-FEBRUARY)	0	0.0%
RETURN TO MWD	-4,219	-3.4%
WESTSIDE MWC/KWB	1,494	1.2%
CARRYOVER TO 2022	7,500	6.1%
LOSSES/METERING INACCURACIES	2,962	2.4%
<b>TOTAL DEMAND</b>	<b>123,362</b>	<b>100.0%</b>



Exhibit "A-2"  
 ARVIN-EDISON WATER STORAGE DISTRICT  
**2021 WATER MANAGEMENT**




Surface Water	18,056	<b>16%</b>
Groundwater (60% of Max)	97,569	<b>84%</b>
Projected Irrigation Demand	115,625	<b>100%</b>

# EXHIBIT "B"

## ARVIN-EDISON WATER STORAGE DISTRICT

### 2021 WATER YEAR DELIVERIES



**EXHIBIT "C1"**  
**ARVIN-EDISON WATER STORAGE DISTRICT**  
**WATER SUPPLY WATER QUALITY SUMMARY**

	Date	Flow cfs	Import Source	Calcium		Magnesium		Sodium		Bicarbonate		Chloride		Nitrate		TDS mg/l	pH	EC umhos/cm	Hardness mg/l	SAR	Gypsum lbs/AF	Boron mg/l	Turbidity NTU
				mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l								
Intake Canal	11/09/21	80	FKC(100%)	16.0	0.80	1.2	0.10	21.0	0.91	67	1.10	13.0	0.37	3.50	0.06	100	8.0	197	46	1.3	0.78	0.09	2.6
	10/07/21	40	CVC(100%)	7.5	0.38	0.7	0.06	8.0	0.34	33	0.54	3.8	0.11	1.10	0.02	43	7.6	79	22	0.8	0.47	0.03	1.8
	09/09/21	60	CVC(100%)	8.0	0.40	0.7	0.06	7.8	0.34	36	0.59	4.3	0.12	1.10	0.02	45	7.8	90	23	0.7	0.54	0.02	2.3
	08/09/21	35	CVC(56%)/KD WELLS(44%)	28.0	1.40	4.0	0.33	21.0	0.91	110	1.80	14.0	0.39	6.80	0.11	150	8.3	274	88	1.0	0.03	0.11	1.6
	07/08/21	35	CVC(56%)/KD WELLS(44%)	27.0	1.35	2.8	0.23	27.0	1.16	110	1.80	18.0	0.51	5.10	0.08	150	8.3	298	80	1.3	0.97	0.12	2.6
	06/04/21	110	FKC(68%)/CVC(18%)/KD WELLS(14%)	22.0	1.10	2.3	0.19	24.0	1.03	80	1.31	16.0	0.45	4.20	0.07	130	8.6	244	66	1.3	0.62	0.11	2.8
	05/07/21	35	KD WELLS & KD MAIN(100%)	27.0	1.35	4.2	0.34	25.0	1.08	96	1.57	12.0	0.34	3.80	0.06	150	8.7	274	84	1.2	0.42	0.15	4.0
	04/07/21	27	KD WELLS & KD MAIN(100%)	24.0	1.20	3.3	0.27	24.0	1.03	91	1.49	12.0	0.34	2.20	0.04	130	8.6	243	73	1.2	0.76	0.18	5.0
	03/12/21	0	RESIDUAL CVC(100%)	22.0	1.10	1.5	0.12	32.0	1.38	78	1.28	21.0	0.59	0.99	0.02	140	8.7	263	62	1.8	1.10	0.17	9.4
	02/11/21	22	CVC(100%)	24.0	1.20	1.3	0.11	9.1	0.39	74	1.21	4.7	0.13	2.10	0.03	87	8.6	162	64	0.5	0.33	0.04	16.8
	01/11/21	0	RESIDUAL FKC(100%)	13.0	0.65	0.7	0.06	5.6	0.24	52	0.85	3.3	0.09	0.46	0.01	52	8.3	101	36	0.4	0.53	0.02	9.2
	12/10/20	0	RESIDUAL FKC(100%)	10.0	0.50	0.6	0.05	4.1	0.18	37	0.61	2.8	0.08	0.94	0.02	40	7.5	85	28	0.3	0.21	0.02	4.5
	11/05/20	15	RESIDUAL CVC(100%)	27.0	1.35	1.7	0.14	29.0	1.25	89	1.46	21.0	0.59	1.80	0.03	150	8.7	258	75	1.5	0.63	0.12	2.4
	10/09/20	50	CVC(100%)	23.0	1.15	1.2	0.10	31.0	1.34	81	1.33	26.0	0.73	4.80	0.08	150	8.4	286	63	1.7	0.79	0.12	1.5
	<b>Average</b>			<b>19.9</b>	<b>1.0</b>	<b>1.9</b>	<b>0.2</b>	<b>19.2</b>	<b>0.8</b>	<b>73.9</b>	<b>1.2</b>	<b>12.3</b>	<b>0.3</b>	<b>2.8</b>	<b>0.0</b>	<b>108.4</b>	<b>8.3</b>	<b>203.9</b>	<b>57.9</b>	<b>1.1</b>	<b>0.6</b>	<b>0.1</b>	<b>4.7</b>
North Canal	11/09/21	58	FKC(100%)	17.0	0.85	1.3	0.11	19.0	0.82	71	1.16	12.0	0.34	2.70	0.04	98	8.2	190	47	1.2	0.94	0.10	3.3
	10/07/21	14	CVC(24%)/WELLS(76%)	20.0	1.00	3.5	0.29	54.0	2.33	130	2.13	23.0	0.65	8.90	0.14	200	8.3	346	63	3.0	3.50	0.40	2.0
	09/09/21	70	CVC(31%)/WELLS(69%)	18.0	0.90	3.6	0.30	56.0	2.41	120	1.97	26.0	0.73	10.00	0.16	200	8.4	369	60	3.1	4.10	0.41	3.0
	08/09/21	14	CVC(10%)/KD WELLS(8%)/WELLS(82%)	24.0	1.20	4.4	0.36	34.0	1.47	130	2.13	15.0	0.42	12.00	0.19	170	8.2	314	77	1.7	2.40	0.12	2.9
	07/08/21	58	CVC(10%)/KD WELLS(8%)/WELLS(82%)	19.0	0.95	3.8	0.31	43.0	1.85	130	2.13	19.0	0.53	8.20	0.13	180	8.3	335	63	2.4	3.40	0.26	1.9
	06/04/21	148	FKC(27%)/CVC(7%)/KD WELLS(6%)/WELLS(60%)	21.0	1.05	4.1	0.34	52.0	2.24	130	2.13	25.0	0.70	10.00	0.16	210	8.4	378	68	2.8	3.50	0.41	4.4
	05/07/21	58	KD WELLS & KD MAIN(18%)/WELLS(82%)	22.0	1.10	4.5	0.37	35.0	1.51	120	1.97	16.0	0.45	7.60	0.12	160	8.2	297	73	1.8	2.00	0.14	1.2
	04/07/21	80	KD WELLS & KD MAIN(14%)/WELLS(86%)	20.0	1.00	4.3	0.35	34.0	1.47	110	1.80	17.0	0.48	5.50	0.09	150	8.3	274	68	1.8	1.90	0.16	2.4
	03/12/21	58	WELLS(100%)	22.0	1.10	3.9	0.32	40.0	1.72	120	1.97	17.0	0.48	7.00	0.11	170	8.2	303	70	2.1	2.20	0.19	1.2
	02/11/21	14	CVC(21%)/WELLS(79%)	23.0	1.15	4.5	0.37	27.0	1.16	110	1.80	16.0	0.45	6.90	0.11	140	8.2	261	75	1.3	0.97	0.07	1.3
	01/11/21	14	WELLS(100%)	21.0	1.05	3.9	0.32	36.0	1.55	120	1.97	19.0	0.53	5.60	0.09	160	8.1	302	68	1.9	2.60	0.21	2.4
	12/10/20	0	WELLS(100%)	23.0	1.15	3.4	0.28	60.0	2.59	130	2.13	25.0	0.70	3.80	0.06	220	8.1	423	72	3.1	3.10	0.57	4.2
	11/05/20	48	WELLS(100%)	23.0	1.15	4.1	0.34	50.0	2.16	120	1.97	21.0	0.59	6.20	0.10	200	8.3	343	74	2.4	2.90	0.35	2.0
	10/09/20	48	CVC(29%)/WELLS(71%)	19.0	0.95	3.9	0.32	42.0	1.81	120	1.97	21.0	0.59	6.20	0.10	180	8.2	336	63	2.3	3.30	0.34	1.3
	<b>Average</b>			<b>20.9</b>	<b>1.0</b>	<b>3.8</b>	<b>0.3</b>	<b>41.6</b>	<b>1.8</b>	<b>118.6</b>	<b>1.9</b>	<b>19.4</b>	<b>0.5</b>	<b>7.2</b>	<b>0.1</b>	<b>174.1</b>	<b>8.2</b>	<b>319.4</b>	<b>67.2</b>	<b>2.2</b>	<b>2.6</b>	<b>0.3</b>	<b>2.4</b>
South Canal	11/09/21	160	FKC(100%)	18.0	0.90	1.4	0.11	20.0	0.86	74	1.21	12.0	0.34	2.70	0.04	100	8.1	199	51	1.2	0.86	0.10	3.1
	10/07/21	120	CVC(17%)/WELLS(83%)	32.0	1.60	8.6	0.70	49.0	2.11	140	2.30	40.0	1.12	11.00	0.18	240	8.1	428	120	2.0	0.05	0.21	2.0
	09/09/21	110	CVC(23%)/WELLS(77%)	32.0	1.60	9.2	0.75	45.0	1.94	140	2.30	44.0	1.24	10.00	0.16	240	8.3	453	120	1.8	0.06	0.22	1.8
	08/09/21	0	CVC(7%)/KD WELLS(5%)/WELLS(88%)	40.0	2.00	12.0	0.98	45.0	1.94	160	2.62	61.0	1.71	12.00	0.19	280	8.2	525	150	1.6	ND	0.14	1.6
	07/08/21	90	CVC(7%)/KD WELLS(6%)/WELLS(87%)	31.0	1.55	8.7	0.71	41.0	1.77	140	2.30	37.0	1.04	11.00	0.18	230	8.2	440	110	1.7	0.27	0.16	1.5
	06/04/21	160	FKC(21%)/CVC(5%)/KD WELLS(4%)/WELLS(70%)	27.0	1.35	7.4	0.61	46.0	1.98	140	2.30	35.0	0.98	10.00	0.16	220	8.2	4	98	2.0	1.40	0.25	4.9
	05/07/21	120	KD WELLS & KD MAIN(12%)/WELLS(88%)	34.0	1.70	9.7	0.80	40.0	1.72	140	2.30	37.0	1.04	9.70	0.16	230	8.1	420	120	1.6	ND	0.12	1.0
	04/07/21	140	KD WELLS & KD MAIN(9%)/WELLS(91%)	32.0	1.60	9.0	0.74	39.0	1.68	140	2.30	32.0	0.90	9.00	0.15	210	8.2	381	120	1.6	ND	0.15	1.6
	03/12/21	50	WELLS(100%)	33.0	1.65	8.5	0.70	40.0	1.72	140	2.30	35.0	0.98	11.00	0.18	220	8.2	403	120	1.6	ND	0.18	2.2
	02/11/21	20	CVC(18%)/WELLS(82%)	35.0	1.75	9.1	0.75	38.0	1.64	120	1.97	37.0	1.04	15.00	0.24	220	8.4	410	120	1.5	ND	0.11	1.6
	01/11/21	10	WELLS(100%)	43.0	2.15	13.0	1.07	48.0	2.07	140	2.30	80.0	2.25	7.40	0.12	290	8.1	546	160	1.7	ND	0.16	1.6
	12/10/20	0	WELLS(100%)	22.0	1.10	3.7	0.30	63.0	2.72	120	1.97	24.0	0.67	2.90	0.05	220	8.6	423	69	3.3	3.40	0.61	1.7
	11/05/20	70	WELLS(100%)	32.0	1.60	7.8	0.64	50.0	2.16	140	2.30	35.0	0.98	9.60	0.15	230	8.1	412	110	2.1	0.16	0.28	1.9
	10/09/20	100	CVC(21%)/WELLS(79%)	30.0	1.50	8.6	0.70	38.0	1.64	140	2.30	34.0	0.96	10.00	0.16	220	8.1	407	110	1.6	0.22	0.16	1.2
	<b>Average</b>			<b>31.5</b>	<b>1.6</b>	<b>8.3</b>	<b>0.7</b>	<b>43.0</b>	<b>1.9</b>	<b>133.9</b>	<b>2.2</b>	<b>38.8</b>	<b>1.1</b>	<b>9.4</b>	<b>0.2</b>	<b>225.0</b>	<b>8.2</b>	<b>389.4</b>	<b>112.7</b>	<b>1.8</b>	<b>0.8</b>	<b>0.2</b>	<b>2.0</b>

**EXHIBIT "C1"**  
**ARVIN-EDISON WATER STORAGE DISTRICT**  
**WATER SUPPLY WATER QUALITY SUMMARY**

	Date	Flow <sup>1</sup> cfs	Import Source	Calcium		Magnesium		Sodium		Bicarbonate		Chloride		Nitrate		TDS mg/l	pH	EC umhos/cm	Hardness mg/l	SAR	Gypsum lbs/AF	Boron mg/l	Turbidity NTU
				mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l	mg/l	me/l								
<b>Intertie Pipeline</b>	11/09/21	0	FKC(100%)	22.0	1.10	4.6	0.38	31.0	1.34	93	1.52	18.0	0.51	4.90	0.08	150	8.4	299	73	1.6	0.72	0.20	4.0
	10/07/21	0	CVC(17%)/WELLS(83%)	38.0	1.90	12.0	0.98	48.0	2.07	150	2.46	49.0	1.38	12.00	0.19	270	8.3	477	140	1.7	ND	0.17	4.5
	09/09/21	0	CVC(23%)/WELLS(77%)	37.0	1.85	12.0	0.98	44.0	1.90	160	2.62	49.0	1.38	13.00	0.21	260	8.2	496	140	1.6	ND	0.14	5.3
	08/09/21	0	CVC(7%)/KD WELLS(5%)/WELLS(88%)	31.0	1.55	10.0	0.82	43.0	1.85	130	2.13	44.0	1.24	11.00	0.18	240	8.5	451	120	1.7	ND	0.15	2.4
	07/08/21	0	CVC(7%)/KD WELLS(6%)/WELLS(87%)	32.0	1.60	9.9	0.81	43.0	1.85	150	2.46	40.0	1.12	11.00	0.18	240	8.3	453	120	1.7	0.04	0.17	1.8
	06/04/21	0	FKC(21%)/CVC(5%)/KD WELLS(4%)/WELLS(70%)	28.0	1.40	8.6	0.70	42.0	1.81	130	2.13	35.0	0.98	9.70	0.16	220	8.3	411	110	1.8	0.58	0.19	7.0
	05/07/21	0	KD WELLS & KD MAIN(12%)/WELLS(88%)	36.0	1.80	11.0	0.90	40.0	1.72	150	2.46	38.0	1.07	11.00	0.18	240	8.1	439	130	1.5	ND	0.13	3.4
	04/07/21	0	KD WELLS & KD MAIN(9%)/WELLS(91%)	36.0	1.80	12.0	0.98	41.0	1.77	150	2.46	39.0	1.10	10.00	0.16	240	8.3	431	140	1.5	ND	0.15	4.1
	03/12/21	0	WELLS(100%)	32.0	1.60	9.1	0.75	42.0	1.81	120	1.97	35.0	0.98	11.00	0.18	220	8.5	406	120	1.7	ND	0.16	3.6
	02/11/21	0	CVC(18%)/WELLS(82%)	33.0	1.65	8.9	0.73	50.0	2.16	120	1.97	48.0	1.35	10.00	0.16	240	8.3	448	120	2.0	ND	0.23	3.9
	01/11/21	0	WELLS(100%)	40.0	2.00	12.0	0.98	48.0	2.07	130	2.13	70.0	1.97	23.00	0.37	300	8.2	547	150	1.7	ND	0.15	9.0
	12/10/20	0	WELLS(100%)	30.0	1.50	8.5	0.70	61.0	2.63	110	1.80	58.0	1.63	4.30	0.07	260	8.4	513	110	2.6	ND	0.39	9.4
	11/05/20	0	WELLS(100%)	30.0	1.50	8.6	0.70	41.0	1.77	120	1.97	27.0	0.76	8.70	0.14	200	8.5	362	110	1.7	ND	0.15	1.8
	10/09/20	0	CVC(21%)/WELLS(79%)	30.0	1.50	8.9	0.73	38.0	1.64	120	1.97	38.0	1.07	9.50	0.15	220	8.4	414	110	1.6	ND	0.15	3.9
		<b>Average</b>			<b>32.5</b>	<b>1.6</b>	<b>9.7</b>	<b>0.8</b>	<b>43.7</b>	<b>1.9</b>	<b>130.9</b>	<b>2.1</b>	<b>42.0</b>	<b>1.2</b>	<b>10.7</b>	<b>0.2</b>	<b>235.7</b>	<b>8.3</b>	<b>439.1</b>	<b>120.9</b>	<b>1.7</b>	<b>0.4</b>	<b>0.2</b>

Water Supply Water Quality Note: <sup>1</sup> Positive flow rate is reverse flow into the District. Where the reported value is ND, the method detection limit is entered.

Water Supply Water Quality Note: <sup>2</sup> Reverse flow into the District South Canal (Sycamore check gate was closed).

Water Supply Water Quality Note: <sup>3</sup> Constituent ran past sample hold time.

ND:	NONE DETECTED.	pH:	A MEASURE OF ACIDITY. A pH < 7 IS ACIDIC, pH = 7 IS NEUTRAL, pH > 7 IS BASIC. NORMAL RANGE IS 6.5 - 8.4. A pH > 8 MAY NEED TO BE BUFFERED FOR PESTICIDE APPLICATION. AFFECTS NUTRIENT AVAILABILITY.
NA:	NOT AVAILABLE OR NOT TESTED.		
mg/l:	MILLIGRAMS PER LITER; SAME AS PARTS PER MILLION (ppm).		
me/l:	MILLEQUIVALENTS PER LITER; SAME AS EQUIVALENTS PER MILLION (epm).	EC:	ELECTRICAL CONDUCTIVITY. A MEASURE OF WATER SALINITY; SOIL - IN MILLIMHOS PER CENTIMETER (mmho/cm); WATER - MORE OFTEN, IN MICROMHOS PER CENTIMETER (umhos/cm). EC < 700 (umhos/cm) HAS NO RESTRICTIONS FOR AGRICULTURAL USE. EC < 200 (umhos/cm) CAN REDUCE INFILTRATION RATE.
INTAKE:	SAMPLE TAKEN AT COTTONWOOD RD. SOUTH OF PANAMA LANE.		
NORTH:	SAMPLE TAKEN DOWNSTREAM OF SYCAMORE CHECK GATE.		
SOUTH:	SAMPLE TAKEN DOWNSTREAM OF TEJON CHECK GATE.		
INTERTIE:	TERMINUS OF SOUTH CANAL (S93 FOREBAY).		
SODIUM:	FOR SURFACE IRRIGATION: SAR < 3 IS GOOD. FOR SPRINKLER IRRIGATION: SODIUM < 3 me/l IS GOOD.	HARDNESS:	HARD WATER, INDICATING CALCIUM AND MAGNESIUM, IS BENEFICIAL FOR AGRICULTURE.
NITRATE:	NITRATE IN WATER SLIGHTLY REDUCES FERTILIZER REQUIREMENT.		
BICARBONATE:	BICARBONATE < 1.5 me/l IS SATISFACTORY FOR OVERHEAD SPRINKLERS.	SAR:	SODIUM ADSORPTION RATIO. A RATIO OF SODIUM TO CALCIUM AND MAGNESIUM. EVALUATE WITH EC. SAR = 0 - 3 AND EC > 400 ACCEPTABLE SAR = 3 - 6 AND EC > 900 ACCEPTABLE
CHLORIDE:	FOR SURFACE IRRIGATION CHLORIDE < 4 me/l IS GOOD.		
TDS:	TDS < 450 IS ACCEPTABLE FOR UNRESTRICTED USE.		
GYPSUM:	AMOUNT OF CALCIUM SULFATE IN POUNDS PER ACRE-FOOT OF WATER APPLIED. INCREASES WATER PERMEABILITY AND HELPS CORRECT EXCESS SODIUM. INCREASES CLAY FLOCCULATION FOR INCREASING PERMEABILITY.	BORON:	BORON < 0.50 mg/l IS SATISFACTORY FOR ALL CROPS. EXCESSIVE BORON IS PHYTOTOXIC (BURNS) TO PLANTS.

**EXHIBIT "C-2"**  
**ARVIN-EDISON WATER STORAGE DISTRICT**  
**2021 AQUATIC PEST CONTROL TREATMENTS TO CANALS & SPREADING BASINS**


Treatment Weeks (Monday)	Temps	Intake Stine Siphon	North					Syc. Ponds	Syc. Check	PP 32P1	PP 38P1	Tej. Ponds	Tej. Check	615 Check	729 Check	883 Check	Spill Way	Intertie Forbay
			Bal. Res.	PP 24P1	NCSW	PP 41P1	PP 55P1											
		353+87	145+00	237+00	326+50	413+10	546+00	576+50	664+30	291+50	386+30		458+40	615+00	729+10	883+00	885+45	900+27
JAN	01/04/21																	
	01/11/21	38-58																
	01/18/21																	
	01/25/21																	
FEB	02/01/21	36-69																
	02/08/21																	
	02/15/21																	
	02/22/21																	
MAR	03/01/21	42-68		15	15	15	15	207				15	15					
	03/01/21			1.5	2		2	70	9			2	18.5	2				
	03/08/21		145				200				2	25		14				
	03/08/21		50				65											
	03/15/21											10	10					
	03/15/21											3	6.5	2				
	03/22/21		366.5	20				10	10									
	03/22/21		85.5	91.5	92				21						15			
	03/22/21		30	30	31													
	03/29/21			120	120	10	10	214					10	10				
APR	04/05/21	47-78		40	40	2.5	2.5					12						
	04/12/21		17			2.5	2.5	2.5	17			25	2.5	17				
	04/12/21											29		15				
	04/19/21											9	10					
MAY	04/26/21						15	15	14			20		14				
	05/03/21	56-85				5	5	5	14			14		9				
	05/10/21											14		8				
	05/17/21						212					16		10	7			
	05/24/21			7	10			12					2.5					
	05/24/21				2.5													
JUN	05/31/21	66-94										22	16					
	06/07/21			20	2.5	33.5	33.5		16			16		12				
	06/14/21			88					23					11				
	06/21/21							11	11	2.5	2.5	19	20	20	11			
	06/28/21			12	2.5	2.5			15			2.5	2.5	7				
	06/28/21				10	10						10	10					
JUL	07/05/21	71-100				2.5	2.5	67	12		12				9			
	07/05/21					10	10											
	07/12/21			14	2.5	2.5	2.5		13		15		2.5	6				
	07/12/21				10	10	10						10					
	07/19/21				2.5	2.5	240	80			11			6				
	07/19/21			10	10													
AUG	07/26/21		15	2.5	2.5	2.5					11			7				
	07/26/21			10	10	10												
	08/02/21	68-98		2.5		2.5	2.5	14	14		11			8				
	08/02/21			10		10	10											
	08/09/21					194	37											
	08/09/21					2.5	2.5	2.5			13			7				
	08/09/21					10	10	10										
	08/16/21			10	10	10	10	70	240		13			7				
	08/23/21			2.5	2.5	2.5					9	2.5	2.5					
	08/23/21			10		10	10					10	10					
SEPT	08/30/21	62-92				2.5	2.5	62.5	7		11	2.5	2.5	6				
	08/30/21					10	10	10				10	10					
	09/06/21			10	10	2.5	2.5		8		15			7				
	09/13/21				17		2.5	2.5	2.5			9		4				
	09/13/21				76				10									
	09/20/21						2.5	8						9				
OCT	09/20/21					10	10	240	74.5		12							
	09/27/21					20	10	7.5										
	10/04/21					130	65						8					
	10/11/21	48-77				10	10	5										
NOV	10/18/21																	
	10/25/21																	
	11/01/21	43-68																
	11/08/21																	
DEC	11/15/21																	
	11/22/21																	
	11/29/21	40-59																
	12/06/21																	
12/13/21																		
12/20/21																		
12/27/21																		

2021 Cost To Date	Treatment	Material	Labor	Total
	Captain/Nautique	\$128,751	\$11,568	\$140,319
	Phycomycin	\$26,498	\$14,688	\$41,186
	Cascade	\$0	\$0	\$0
	Teton/Hydrothol	\$187,640	\$51,152	\$238,792
	Spreading Basins	\$0	\$0	\$0
	<b>Total</b>	<b>\$342,888</b>	<b>\$77,408</b>	<b>\$420,296</b>

Shaded weeks are actual  
 Copper treatment (gal/lbs) for algae and pondweed (injected/broadcast)  
 Phycomycin (hydrogen peroxide) treatment (lbs) for algae (broadcast)  
 Endothall treatment (gal) for milfoil/basins (injected)  
 Endothall treatment (gal) for algae (injected)  
 Sonar/Clearcast/RoundUp Custom/MSO (gal)  
 Winter Maintenance

Year Type	Amount	Year
Critical-High	\$420,296	2021
Dry	\$399,808	2020
Wet	\$105,928	2019
Normal-Dry	\$235,599	2018
Wet	\$222,685	2017
Normal-Dry	\$186,034	2016
Critical-Low	\$262,734	2015
Critical-High	\$367,563	2014
Dry	\$528,770	2013
Dry	\$504,159	2012
Wet	\$233,449	2011
Normal-Wet	\$24,969	2010
Normal-Wet	\$226,466	2009
Normal-Dry	\$341,506	2008
Dry	\$464,165	2007
Wet	\$341,920	2006
Wet	\$89,797	2005
Normal-Dry	\$65,324	2004
Normal-Dry	\$106,107	2003

**EXHIBIT "D"**  
**ARVIN-EDISON WATER STORAGE DISTRICT**  
**SUMMARY OF CLIMATOLOGICAL OBSERVATIONS**



PRECIPITATION	BAL RES (1)		OFFICE (2)		SYCAMORE (3)		TEJON (4)		INTERTIE (5)	
	INCHES	% AVG.	INCHES	% AVG.	INCHES	% AVG.	INCHES	% AVG.	INCHES	% AVG.
AVG. MONTHLY	0.76		0.82		0.85		0.77		0.73	
AVG. YEAR TO DATE	1.18		1.53		1.57		1.37		1.07	
CURRENT MONTH	0.00	0%	0.00	0%	0.00	0%	0.00	0%	0.00	0%
CUMULATIVE (07/01/21 - 06/30/22)	1.68	142%	1.44	94%	2.12	135%	1.32	96%	1.36	127%

TEMPERATURE (6)	(°F)	DATE	TIME
MAXIMUM TEMPERATURE	74	11/4/2021	3:00 PM
AVERAGE MAXIMUM TEMPERATURE	68		
# DAYS THIS MONTH ABOVE 100 °F	0		
MINIMUM TEMPERATURE	33	11/25/2021	6:00 AM
AVERAGE MINIMUM TEMPERATURE	43		
# DAYS THIS MONTH BELOW 32 °F	1		

WIND (6)	M.P.H.	DATE	TIME	DRCTN
MAXIMUM WIND SPEED	10.1	11/9/2021	10:00 AM	SW
AVERAGE WIND SPEED	3.0			
AVERAGE WIND SPEED @ 8:00 AM	2.7			

BAROMETRIC PRESSURE (7)	IN. HG	DATE	TIME
AVERAGE PRESSURE @ 8:00 AM	29.68		
MAXIMUM PRESSURE	29.87	11/25/2021	9:00 AM
MINIMUM PRESSURE	29.44	11/23/2021	2:00 PM

**NOTES**

(1) October 2018 to Present data gathered from District rain gauges  
(2) 1975 to Present data gathered from District rain gauges  
(3) 1968 to Present data gathered from District rain gauges  
(4) 1967 to Present data gathered from District rain gauges  
(5) October 2018 to Present data gathered from District rain gauges  
(6) Data retrieved from CIMIS (<http://www.cimis.water.ca.gov/WSNReportCriteria.aspx>)  
(7) Data retrieved from Weather Underground (<https://www.wunderground.com/us/ca/arvin/zmw:93203.1.99999>)  
Precipitation Day is 8:00 AM to 8:00 AM



**EXHIBIT "E"**  
**ARVIN-EDISON WATER STORAGE DISTRICT**  
**WY2021 ENERGY CONSUMPTION AND POWER DEMAND**

ENERGY CONSUMED - KWH							TOTAL DEMAND - KW						
Month	Forrest Frick PP	Distrib. System	Spreading	Wells	Intertie PP	Total	Forrest Frick PP	Distrib. System	Spreading	Wells	Intertie PP	Total	Load Factor
MAR 21	88,700	2,479,579	14,996	6,161,961	3,553	8,748,789	1,197	12,574	173	15,643	6	29,593	40%
APR	556,206	4,277,014	17,268	10,765,374	3,628	15,619,490	1,578	13,994	322	20,620	6	36,520	59%
MAY	498,414	4,857,866	43,811	13,362,056	4,004	18,766,151	1,883	14,195	785	21,098	6	37,967	66%
JUN	616,755	5,088,519	44,002	13,815,490	4,067	19,568,833	2,285	13,428	783	20,484	7	36,987	73%
JUL	545,509	5,297,896	26,235	13,729,032	4,394	19,603,066	1,506	13,829	331	20,488	8	36,162	73%
AUG	486,033	5,275,133	37,622	13,054,560	4,277	18,857,624	1,593	14,411	338	19,745	7	36,094	70%
SEP	498,728	4,831,533	34,228	10,798,227	3,978	16,166,693	1,540	13,987	342	16,988	7	32,863	68%
OCT	214,437	3,099,353	34,423	8,249,635	3,941	11,601,790	1,210	13,045	323	16,471	7	31,056	50%
NOV													
DEC													
JAN 22													
FEB													
<b>TOTAL</b>	<b>3,504,782</b>	<b>35,206,893</b>	<b>252,584</b>	<b>89,936,336</b>	<b>31,840</b>	<b>128,932,435</b>							

Notes: - Since 2005 KW records reflect non-simultaneous demands.  
- Energy use for lighting accounts for approximately 90,000 kWh/month at District wellfields and 4,000 kWh/month at the Intertie Pumping Plant

EXHIBIT "F"  
 ARVIN-EDISON WATER STORAGE DISTRICT  
 2021 WATER YEAR WELLFIELD PRODUCTION - AF

Month	Bal Res		North Canal 5		Wellfield						Total		
	AF	% of Historical Max	AF	% of Historical Max	North		Sycamore		Tejon		AF	AF / Day	% of Historical Max
					AF	% of Historical Max	AF	% of Historical Max	AF	% of Historical Max			
MAR - 21	0	0%	720	59%	2,580	116%	2,327	36%	1,989	36%	7,616	246	49%
APR	0	0%	908	75%	3,051	135%	4,150	60%	4,010	80%	12,119	404	81%
MAY	98	19%	1,071	86%	3,684	125%	4,804	66%	4,593	85%	14,250	475	94%
JUN	188	38%	1,044	86%	3,772	113%	4,814	66%	4,348	79%	14,166	457	87%
JUL	148	18%	1,061	85%	3,800	112%	4,708	63%	4,209	78%	13,926	449	86%
AUG	33	5%	1,033	83%	3,779	110%	4,461	61%	3,854	74%	13,160	425	82%
SEP	3	0%	856	70%	3,297	136%	3,384	51%	3,646	81%	11,186	373	78%
OCT	0	0%	744	60%	2,546	76%	2,640	39%	2,581	57%	8,511	284	58%
NOV	0	0%	0	0%	0	0%	0	0%	0	0%	0	0	0%
DEC													
JAN - 22													
FEB													
<b>Total</b>	470		7,437		26,509		31,288		29,230		94,934	406	80%
<b>Ratio</b>	1%		8%		28%		33%		31%		100%	<b>Average</b>	
<b>Wells</b>	4		5		14		34		29		86		

**EXHIBIT "G"**  
**ARVIN-EDISON WATER STORAGE DISTRICT**  
**2021 WATER YEAR GROSS SPREADING - AF**

Month	Bal Res	North Gravity	North Pressure	Sycamore	Tejon Gravity	Tejon Pressure	Murray Gravity	Landowner Recharge	Subtotal	In-Lieu	Temporary Water	Total
MAR-21	138	0	0	0	0	0	0	0	138	0	0	138
APR	109	0	0	0	0	0	0	0	109	0	0	109
MAY	209	0	0	0	0	38	0	0	247	0	0	247
JUN	235	0	0	0	0	66	0	0	301	0	0	301
JUL	204	0	0	0	0	0	0	0	204	0	0	204
AUG	289	0	0	0	0	0	0	0	289	0	0	289
SEP	323	0	0	0	0	0	0	0	323	0	0	323
OCT	398	0	0	0	0	0	0	0	398	0	0	398
NOV	0	9	45	0	0	0	0	0	54	0	0	54
DEC												
JAN-22												
FEB												
<b>Total</b>	<b>1,905</b>	<b>9</b>	<b>45</b>	<b>0</b>	<b>0</b>	<b>104</b>	<b>0</b>	<b>0</b>	<b>2,063</b>	<b>0</b>	<b>0</b>	<b>2,063</b>
<b>Ratio</b>	<b>92.3%</b>	<b>0.4%</b>	<b>2.2%</b>	<b>0.0%</b>	<b>0.0%</b>	<b>5.0%</b>	<b>0.0%</b>	<b>0.0%</b>	<b>100.0%</b>	<b>0.0%</b>	<b>0.0%</b>	<b>100%</b>
<b>Ratio</b>	<b>95.0%</b>			<b>0.0%</b>	<b>5.0%</b>		<b>0.0%</b>	<b>0.0%</b>				

<b>Total Pressure</b>	<b>1,905</b>		<b>45</b>			<b>104</b>			<b>2,054</b>			<b>2,054</b>
	<b>93%</b>		<b>2%</b>			<b>5%</b>			<b>100%</b>			<b>100%</b>

\*NOTES: 1) 481 AF REGULATED IN MAY    3) 328 AF REGULATED IN JULY    5) 363 AF REGULATED IN SEPTEMBER  
2) 382 AF REGULATED IN JUNE    4) 441 AF REGULATED IN AUGUST    6) 398 AF REGULATED IN OCTOBER

**EXHIBIT "H-1"**  
**ARVIN-EDISON WATER STORAGE DISTRICT**  
**STATIC VS PUMPING WATER LEVELS IN DISTRICT WELLS - NOVEMBER 2021**  
 ALL VALUES IN FEET

	WELL #	STATIC LEVEL	PUMPING LEVEL	BOWL DEPTH	TOTAL DEPTH	DRAW DOWN	BOWL COVERAGE
NORTH CANAL (23)	N1	416	476	610	840	60	134
	N2	439	545	700	840	106	155
	N3	374	393	610	840	18	217
	N4	435	455	550	864	21	95
	N5	451	461	650	864	9	189
	N6	492	591	640	920	99	49
	N7	448	468	600	1010	21	132
	N8	394	431	560	970	37	129
	N9	441	552	700	990	111	148
	N10	427	474	560	990	47	86
	N11	396	421	562	1020	25	141
	N12	443	471	600	1030	28	129
	N13	448	473	600	1000	25	127
	N14	436	455	540	900	18	85
	N15	377	513	700	1200	136	187
	N16	381	460	600	1200	79	140
	N17	395	499	610	1200	104	111
	N18	426	541	610	1190	115	69
	N19	455	506	760	1300	51	254
	N20	575	614	820	1020	39	206
	N21	446	506	660	950	60	154
	N22	444	460	680	990	16	220
	N23	434	448	680	990	14	232
Avg	434	488					

	WELL #	STATIC LEVEL	PUMPING LEVEL	BOWL DEPTH	TOTAL DEPTH	DRAW DOWN	BOWL COVERAGE
TEJON (29)	71	520	544	800	1050	23	256
	72	523	557	800	1045	35	243
	73	520	560	800	1018	39	240
	74	500	541	800	1084	42	259
	75	507	532	800	1045	25	268
	76	499	554	700	996	55	146
	77	486	569	800	1066	83	231
	78	500	541	800	1038	42	259
	79	501	541	700	1032	39	159
	80	486	613	800	996	127	187
	81	462	501	700	925	39	199
	82	393	446	800	996	53	354
	83	500	555	800	996	55	245
	84	404	444	700	955	39	256
	86	534	567	800	996	32	233
	87	525	555	800	984	30	245
	88	527	567	800	948	39	233
	89	500	539	800	996	39	261
	90	407	455	700	996	49	245
	91	495	N/A	700	996	N/A	N/A
	92	546	599	800	996	53	201
	93	551	578	800	996	27	222
	94	553	604	860	996	51	256
	95	500	530	800	996	30	270
	96	551	618	800	996	67	182
	98	531	568	760	1340	37	192
	99	529	564	760	1340	35	196
	100	464	506	760	1340	42	254
	101	502	571	760	1310	69	189
Avg	501	547					


	WELL #	STATIC LEVEL	PUMPING LEVEL	BOWL DEPTH	TOTAL DEPTH	DRAW DOWN	BOWL COVERAGE
SYCAMORE (34)	1	430	479	705	800	49	226
	2	443	498	690	876	55	192
	4	457	492	700	876	35	208
	5	471	517	720	876	46	203
	6	399	464	690	876	65	226
	7	441	499	700	830	58	201
	8	391	444	640	860	53	196
	9	460	497	700	886	37	203
	10	434	473	690	850	39	217
	11	432	483	700	880	51	217
	12	457	494	700	860	37	206
	13	425	462	700	850	37	238
	14	388	476	670	810	88	194
	15	458	608	710	820	150	102
	16	460	598	700	888	139	102
	17	426	502	650	820	76	148
	18	433	451	650	820	18	199
	20	419	456	680	804	37	224
	21	427	454	690	856	28	236
	22	407	434	610	792	28	176
	23	406	459	600	788	53	141
	24	414	455	580	780	42	125
	25	407	434	610	777	28	176
	26	417	459	690	816	42	231
	28	385	438	660	782	53	222
	29	438	464	690	787	25	226
	31	434	464	660	725	30	196
	32	397	513	640	739	116	127
	33	444	557	700	780	113	143
	34	425	N/A	700	781	N/A	N/A
	35	432	504	700	800	72	196
	36	443	473	600	820	30	127
	37	435	460	540	820	25	80
	38	439	475	860	1270	36	385
Avg	429	483					

MONTHLY SUMMARY - AVERAGE WATER LEVELS						
READINGS END OF	STATIC LEVELS			PUMPING LEVELS		
	N. CANAL	SYCAMORE	TEJON	N. CANAL	SYCAMORE	TEJON
Nov-20	415	392	433	480	429	500
DEC	408	391	442	474	429	500
JAN-21	405	390	439	470	428	513
FEB	411	405	445	476	443	519
MAR	432	428	469	495	471	549
APR	439	436	479	504	497	564
MAY	439	454	520	506	519	575
JUN	453	464	532	510	532	599
JUL	445	469	540	504	541	600
AUG	445	462	548	501	529	605
SEP	448	464	550	506	532	607
OCT	432	445	512	489	502	566
NOV	434	429	501	488	483	547
CHANGE TO-DATE	-19	-37	-68	-8	-54	-47


OUT OF SERVICE (7)	*Bowl depth measured to top of pump
AIRLINE FAILURE (8)	*Pumping levels are estimated based on
FAILED (2)	previous draw down records. (6 month average)
86 TOTAL WELLS	*Airline failure levels were obtained with acoustic sounder

**EXHIBIT "H-2"**  
**ARVIN-EDISON WATER STORAGE DISTRICT**  
**WELLFIELD PUMPING WATER LEVELS - 2007-09, 2013-16, AND 2018-21**


**NORTH CANAL**



**SYCAMORE WELLFIELD**




**TEJON WELLFIELD**



# EXHIBIT "I"

## November 2021

Sun	Mon	Tue	Wed	Thu	Fri	Sat
<p><i>JSM—Blue MD—Orange Staff—Green Board—Brown</i></p>	<p><b>1 JDA (TC)</b> 123TCP Update (MT) 2022 WY Budget</p>	<p><b>2 GSA Status w/DWR (Sacramento)</b></p>	<p><b>3 PWRPA BOD (TC)</b> SGMA &amp; Temp Water w/<i>Martinez</i> District Issues w/<i>Camp</i></p>	<p><b>4 CVC Budget Committee (GoToMeeting)</b> KRWCA w/<i>Johnston</i></p>	<p><b>5 Kern Managers DMS (KC Farm Bureau)</b> Blueprint Tech Committee (Zoom)</p>	<p><b>6</b></p>
<p><b>7</b></p>	<p><b>8</b></p>	<p><b>9 AEWSD BOD</b></p>	<p><b>10 Foremen (Wage/Benefits)</b></p>	<p><b>11 WRMWSD Coordination</b></p>	<p><b>12 Kern Managers Basin Study (KC Farm Bureau)</b> Water Supply Update (MTs) Granite Recharge (Zoom)</p>	<p><b>13</b></p>
<p><b>14</b></p>	<p><b>15 CVC Advisory Committee (GoToMeeting)</b> KGA EC (<i>Yurosek</i>) FWA Retreat (Paso Robles) w/<i>Giumarra</i></p>	<p><b>16</b></p>	<p><b>17 Kern Groundwater w/Yurosek (Zoom)</b> 123 TCP Update (Zoom)</p>	<p><b>18 Microgrid P&amp;P Projects Update (MTs)</b> WW Tech Committee (MTs) Open ET (KC Farm Bureau) MWD Operations (Zoom)</p>	<p><b>19 Friant Exchange w/DWR (MTs)</b></p>	<p><b>20</b></p>
<p><b>21</b></p>	<p><b>22 MWD Operations w/Legal Counsel (TC)</b> District Issue w/<i>Giumarra</i></p>	<p><b>23 SJVW Collaborative Action Plan Plenary Group (Zoom)</b></p>	<p><b>24</b></p>	<p><b>25</b></p> 	<p><b>26</b></p>	<p><b>27</b></p>
<p><b>28</b></p>	<p><b>29</b></p>	<p><b>30 Granite Recharge (Zoom)</b> Union Update (Zoom) SJRRP RFG (MTs) Small Group WQ (MTs) District Issues w/<i>Camp</i> (TC)</p>	<p>ACWA – Association of California Water Agencies ACSD - Arvin Community Services District BOD - Board of Directors COB - City of Bakersfield CVC - Cross Valley Canal CVPIA - Central Valley Project Improvement Act EC- Executive Committee ETGSA– East Tule Basin GW Sustainability Agency ETFOG - Friant Operational Guidelines EIR - Environmental Impact Report FWA - Friant Water Authority</p>	<p>GSP - Groundwater Sustainability Plan GTM - GoToMeeting KGA - Kern Groundwater Authority KC - Kern County KCWA - Kern County Water Agency KDWD - Kern Delta Water District KRGSA - Kern River Groundwater Sustainability Agency KRWCA - Kern River Watershed Coalition Authority MAR - Managed Aquifer Recharge MTs - Microsoft Teams MWD - Metropolitan Water District RFG - Restoration Flow Guidelines RWA– Restoration Water Account</p>	<p>SJVWIA—San Joaquin Valley Water Infrastructure Authority SJRRP - San Joaquin River Restoration Program SGMA - Sustainable Groundwater Management Act TF - Temperance Flat Steering Committee TC- Teleconference WAKC - Water Association of Kern County WBC - Wage &amp; Benefit Comm. WRMWSD - Wheeler Ridge-Maricopa Water Storage District WWGSA - White Wolf Groundwater Sustainability WMP - Water Mgmt. Program WQSA - Water Quality Sub-Account</p>	